OAK CREEK FARMS

K Forage Developed Registered Fall Brangus Bull Sale K

Saturday, October 24, 2026 • 1:00 pm

Oak Creek Sale Facility, Chappell Hill, Texas













60 YEARS OAK CREEK FARMS Breeding Brangus Since 1967

50 Brangus and Red Brangus Bulls Sell

Commercial Females Sell Following Bull Sale

Brangus on Forage ° Low Maintenance Bulls
Excel in Carcass Quality • Built on Heterosis
Conventional True Registered Brangus

OAK CREEK FARMS

"Breeding Brangus Since 1967"

Carolyn & John Kopycinski
John Cell: 979-251–2530
13750 FM 1371 • Chappell Hill, Texas 77426
oakcreekfarms@hughes.net

Christi & Matt Strock
Christi Cell: 713-204-8107
www.OakCreekFarms.com

From Houston: 60 miles west on Hwy 290, then 4 miles south on FM 1371.

SALE CONTACTS
Owner: John Kopycinski 979-251-2530
Consultants: Kent Smith 979-540-8338 • Mike Arnold 979-732-7679
Charlie Tiner 713-252-4662 • Gary Bruns 830-391-0766
Auctioneer: Troy Robinett 817-995-7509

SUPERIOR PUREBRED AUCTIONS superiorlivestock.com

Volume Discounts

LiveAuctions.TV 2.0

Utilizing Ultrasound for 43 Years and DNA for 23 Years for Genetic Improvement. 11 years with no fly treatment.

OAK CREEK FARMS

Your Source for Forage Developed Bulls

WE HAVE BEEN BREEDING BRANGUS CATTLE AT OAK CREEK FARMS IN CHAPPELL HILL, TEXAS SINCE 1967. For over 59 years, we have built our herd to over 1,000 head of Brangus, Red Brangus and Angus. We are excited to announce that our daughter, Christi Kopycinski Strock, her husband Matt, and their three sons, John, Robert and Will, are committed to continuing our breeding program at Oak Creek Farms. They are working closely with us to plan for the future and the expanding opportunities in the beef cattle industry.



Our mission is simple and includes three core principles:
1. Be educated on the evolving market and what the beef consumer demands.
2. Provide a product that ensures customers return and give referrals.
3. Make money producing a product that is environmentally friendly and cost-efficient.

The focus will continue to be breeding cows that have good udders, calve every year without any problems, raise their calves out in the pasture on forages without supplements until weaning in order to stay in the herd, and after weaning, the calves must maintain a forage-based diet. We are constantly improving our genetics by having our heifers and first calf cows in an intensive AI program. We keep the top 50% of the heifer crop each year and cull the bottom 25% of the cows. Cattle are selected for phenotype, performance and fertility.

The Brangus breed's genetic makeup has advantages of the true conventional stabilized genetics of 3/8 Brahman x 5/8 Angus that thrive in our hot, humid Gulf Coast Climate. Brangus express disease resistance, hardiness and maternal instincts from the Brahman and superior carcass qualities exhibited in Angus, including excelling in fertility, maternal and milking. With the high cost of feed and fertilizer, the bull buyer is continuously demanding more forage-efficient bulls. We do not treat cows with calves at side for flies and other parasites, enabling the selection of the hardiest animals and also allowing beneficial insects to flourish, including some that aerate and increase fertilization in the soil naturally.



In order to get carcass trait information, we have utilized ultrasound technology for around 43 years to identify intramuscular fat (IMF) and also DNA testing for 23 years for heritable traits. The bulls we have been using for the last 28 years have an IMF of about 4% or more. Of the 120 calves we most recently sent to the feedlot, 47% graded premium choice, 45% graded choice and 3% graded prime from the harvest data.

The genetics in the sale are a result of 59 years of breeding and producing forage-efficient, easy-fleshing Brangus and Angus cattle. **We have an excellent set of Bulls and Commercial Heifers that will sell on October 24, 2026, at 1:00 pm at the ranch in Chappell Hill, Texas.** Our family is excited for the future and we look forward to seeing you at the sale!

Carolyn and John Kopycinski

Christi and Matt Strock

GENERAL INFORMATION

Selling Coming Two-Year-Old Forage Tested OCF Bulls

All Bulls are Oak Creek Farms Bred and Raised!
Also Selling 30+ Commercial Brangus and Red Brangus Heifers! Open and Ready to Breed.

Saturday, October 24, 2026 • 1:00 pm CST

Oak Creek Farms Sale Facility, Chappell Hill, Texas

Schedule of Events

Friday, October 23, 2026
2-6 pm — **Cattle available for Viewing**

Saturday, October 24, 2026
8 am — **Coffee and Kolaches**
Viewing of Cattle
Followed by — **Chappell Hill Bakery & Deli BBQ Lunch**
1:00 pm — **Oak Creek Farms Forage Developed Bull Sale**
Followed by — **Commercial Female Sale**

Oak Creek Farms
John & Carolyn Kopycinski • (979) 251-2530, cell
Christi K. & Matt Strock • (713) 204-8107
www.oakcreekfarms.com
oakcreekfarms@hughes.net

Bulls Selling ~ 50 Coming Two-Year-Old Forage Tested OCF Bulls ~ Brangus, Red Brangus

Commercial Females Selling ~
30+ Source Verified Commercial Females ~ Females sell after the Bulls!

Auctioneer ~ Troy Robinett • (817) 995-7509

Sale Day Consultants ~
Kent Smith (979) 540-8338
Mike Arnold (979) 732-7679
Charlie Tiner (713) 252-4662
Gary Bruns (830) 391-0766

Shipping/Hauling Arrangements ~
Contact Oak Creek Farms

Terms and Conditions ~ Refer to page 14.

Sale Location
Oak Creek Farms
13750 FM 1371
Chappell Hill, Texas 77426



Directions
From Houston: Go about 60 miles on Hwy 290 West, then 4 miles south on FM 1371.

From I-10: At Sealy, north on Hwy 36 to Bellville, at Courthouse Square take FM 1456 7 miles north, then 4 miles on FM 1371.

From Austin: Take Hwy 290 East for about 100 miles until the intersection FM 1155 at Chappell Hill (there is a traffic light at the intersection). Go about 1 mile and then south 4 miles on FM 1371.

Accommodations ~ Please call Oak Creek Farms

Oak Creek Farms Five Star Rating System ~ Refer to page 4.
Bulls and their dams have been evaluated & scored for a range of traits.

Expected Progeny Differences (EPDs)
Reflects October 2026 EPDs obtained from IBBA.

Health Requirements ~ Cattle will be accompanied by proper health certificates for immediate shipment. **All bulls have Fertility, BVD and PI tested and have tested negative for Trichomoniasis.**

Liability ~ All persons attending the sale do so at their own risk, legal or otherwise, for their own safety or behavior of animals. OCF assume no liability for property loss or accidents that may occur.

SALE CARRIED LIVE at www.liveauctions.tv

LiveAuctions.TV 2.0

SUPERIOR PUREBRED AUCTIONS
superiorlivestock.com

OAK CREEK FARMS

Back to the Basics on Forage

With the high cost of fuel and fertilizer, cattlemen are looking for a way to keep costs down and at the same time produce a better product. Looking back about 75 years ago after World War II when fuel, fertilizer, and feed were cheap, ranchers began feeding cattle and feedlots came into being. In 1967 the Texas Cattle Feeders Association was formed. Before WWII cattle were developed mainly on forages.

However, in the last several years fuel and fertilizers have really increased in price and this past year prices have gone over the top. Producers have to find more economical ways to produce beef. Cattle that can gain on grasses without having to spend as much on fertilizer and feed will be more cost-efficient. Oak Creek Farms is developing its cattle on forages and selecting the cattle that do well in this hot humid environment. Oak Creek Farms forage-developed cattle helps keep inputs down.

"Also, you need to be careful of cattle that are in front of a feed trough too much of their life. These animals are not developed to make it on forages. I am selecting cattle that do the best on forages," says John Kopycinski.

"I think that cattle in our climate need to have more developed sweat glands and have less hair in this climate than those cattle further north. All of these factors are important when selecting and breeding cattle," says Kopycinski.

Foraged-developed bulls will not gain as much weight as they would if they were on full feed, but they will be in better condition and have increased reproductive efficiency along with increased libido. Commercial cattlemen need bulls that are ready to go and are accustomed to covering ground. A good bull does not need to be over-conditioned. He just needs to carry the genetics that will give his calves the ability to gain weight and finish.

As part of Oak Creek's straightforward Total Herd Management Program, up to 25 percent of the cow herd is culled annually keeping the top end of the heifer crop to replace the culled mature cows. Cattle are selected for phenotype and performance plus fertility. With the high cost of feed and fertilizer, the bull buyer is demanding more forage-efficient bulls. Kopycinski's interest in efficiency and conservation practices led him to initiate Oak Creek's Grass/Forage program. Kopycinski is always looking for ways to get back to the basics and has discovered that by not treating the cows with calves at side for flies and parasites, the hardier animals will stand out plus the dung beetle population flourishes in those pastures. When dung is buried by the beetles, nitrogen loss is 20% with 80% being placed in the grass root zone aerating and improving the soil naturally.

Kopycinski is always looking for ways to get back to the basics and has discovered that by not treating the cows with calves at side for flies and parasites, the hardier animals will stand out plus the dung beetle population flourishes in those pastures. When dung is buried by the beetles, nitrogen loss is 20% with 80% being placed in the grass root zone aerating and improving the soil naturally.

Forage-developed cattle and using ultrasound and DNA results for marbling and tenderness help Kopycinski in selecting the best cattle to keep in the herd. Using genetics that thrive on forages and also produce an optimum product is their goal.



FORAGES AND GENETIC TESTING

Key to Building a Solid Program at OCF

Today's high input cost for developing cattle is a real concern to the American cattleman. Oak Creek Farms in Chappell Hill, Texas has implemented a program to raise cattle as economically as possible. Forages are the foundation of their program.

John and Carolyn Kopycinski, owners of Oak Creek Farms located about 60 miles northwest of Houston run Brangus Cows in the Brazos River bottom. All of their cattle are developed on forages in the Gulf Coast area where it gets hot and humid. They have a center pivot that irrigates up to 155 acres so they have forages in reserve in the form of hay and good quality Wrapped Balage. The cattle thrive on forages which they believe is the only way to make a profit in today's market atmosphere with the high input cost.



At weaning our forage-developed bulls receive a limiter. At sale time the bulls will not be very fat, but they will be in good physical condition and will be ready to go to work. "The bulls are being conditioned for efficiency and heat tolerance. Kopycinski says, "They do not get any shade until the temperature gets over 90 degrees." He calls this part of the forage test, the stress test. He also adds, "The reason we test the bulls in the hot summertime is that it allows us to test their heat tolerance and see if they have well-developed sweat glands that they need in this part of the country. Bulls that can't take the heat are eliminated." He said to remember that just because a bull has a smaller frame does not mean he is more forage-efficient or heat-tolerant.

Breeders have to look at the bull's performance and his genetic data collectively. Kopycinski referred to Dr. Jan Bonsma who did a lot of studies in the 1950s. Bonsma said that an animal has to be happy in their environment, meaning that they have to be able to survive and thrive.

Referring back to forages, Kopycinski notes, "We have found that Tifton 85 works the best by far. We will start with over 200 bulls on 35 acres and they never run out of forages in this system. We use nitrogen to fertilize the Tifton 85 in the summertime. The bulls will recycle some fertilizer back on the land. We use a supplemental limiter to develop the bulls because here in the Gulf Coast region our grasses are not as strong as they are further north. You have to know your environment."

Some of the forages used are Tifton 85, Jiggs and common Bermuda grass on the improved pasture. In the native pastures, he has some native bluestem and Bahia. He says that the legumes that work in his environment are burr clovers, ball clover, Persian clover, and Bigbee Burseem. He tries to center his breeding season around legumes to help cows rebreed. The bonus is that clovers can obtain nitrogen from the atmosphere and "fix" it in nodules on its roots called nitrogen fixation. Oak Creek Farms endeavors to improve the environment and produce environmentally friendly cattle.

OAK CREEK FARMS

About Our Program...

Total Herd Management Program Producing Forage Efficient Cattle with Desirable Carcass Traits

Oak Creek Farms has been a grass-based operation breeding registered Brangus and Red Brangus since 1967, however, the Kopycinski family has been in agriculture for more than 100 years in Austin and Washington counties in south central Texas. Oak Creek is in the business of producing forage-efficient, easy fleshing registered Brangus cattle that have desirable carcass traits.

John Kopycinski, the owner, says that he produces medium-framed, well- balanced cattle that thrive on forages and are heat tolerant. In south central Texas cattle experience extreme heat and humidity, and Oak Creek's Brangus cattle must be able to thrive in these conditions. Cows must also have good udders and be fertile to stay in the herd. They must calve every year without calving problems and be able to raise the calf out in the pasture on forages without being supplemented. "Our cattle are raised and developed on forages," says Kopycinski. As part of his total management program, he culls about 25 percent of his herd each year so that he is constantly improving the genetics of his cattle.

"Selecting and identifying bulls with favorable carcass traits for tenderness and marbling, plus identifying feed efficiency traits are key components in our registered Brangus herd," says John and his wife, Carolyn. Oak Creek is home to approximately 1000 head of registered Brangus and Red Brangus cattle. He has been DNA testing his bulls for the last six years using the results in management and breeding decisions.

"Our goal is to raise cattle that produce tender, juicy beef that people enjoy eating," says John Kopycinski. To market their bulls, Oak Creek Farms has their annual Forage Tested Registered Bull Sale each October that attracts buyers from Texas and across the nation. "Each year our customers become more interested in our forage-based program along with the DNA testing results. Buyers will be able to use the information to select bulls that will best fit their ranch program," explains Kopycinski. The bulls have also been ultrasounded and fertility tested. "We want to give the buyer as much information as we can so that he can make an informed decision, and we also want to be sure that the bull is ready to go to work when he gets to his new home."



All sale bulls are OCF bred and developed at Oak Creek Farms in the hot and humid Gulf Coast area. Over 200 bulls begin the forage test each year, and about 50 will make the spring sale, and 55 sell in the sale held toward the end of October.

Oak Creek Farms' Five Star Rating

Oak Creek Farms has evaluated and scored bulls and their dams using a range of traits. Each trait is assigned a score from 1 to 5, with 5 being excellent and 3 being average.

Disposition: Bulls that remain calm receive high scores while bulls that display nervousness, fear, or aggression receive lower scores.
Calving Ease of Dam: Cows that have no problems calving receive high scores, while cows that may take a longer time to calve or recover from calving receive lower scores.
Udder Quality of Dam: Teat size that allows the calf to easily suck receives higher scores, while teat size that may be a little larger and makes it harder for the calf to suck receives lower scores
Maternal Instincts of Dam: Cows that easily calve, have excellent teat/udder size, and protect and nurture calf while maintaining good body condition receive higher scores, while those that do not do as good a job receive lower scores.
Hair Coat: A bull that maintains a sleek, healthy hair coat in hot months and a thick, shiny coat in cold months receives higher scores, while bulls that have an unhealthy coat receive lower scores.
Heterosis Traits when Crossbred: Hybrid vigor expectancy for crossbred offspring will show greatest gains in fertility, longevity, calf survival, growth to weaning and general health. These traits will be greater when crossed with breeds that are more distant from the bulls' genetics.

Oak Creek Farms *is home to more than 1,000 head of registered cattle including* ***Brangus*** *and* ***Red Brangus****. Breeding cattle has been our business since 1967.* ***Our goal then and our goal now*** *is breeding cattle that are exceptional both in performance and quality. We utilize the latest technology including ultrasound and DNA testing to determine marbling and tenderness.*

The beef industry has evolved to value-based marketing and OCF's years of experience in the selection of superior, efficient cattle has resulted in producing uniform, low maintenance, high performing cattle that grade well and meet the industry's demands. We forage test our bulls so that when we sell them they will be ready to go straight from our pasture to the buyer's pasture and be ready to go to work, plus with forage testing, we can evaluate the cattle and select cattle that are more adaptable to our hot humid environment. Cattle raised on forage are more cost-efficient, and we along with many of our customers observe that these forage-tested bulls have a lot of staying power out in the pasture because that is how they were developed.

Developing cattle on forage ensures the best overall performance and quality of the animal. High volume, fertile cattle that have clean lines, good bone and muscle, good udders on cows, and good testicles on bulls are important to all cattle breeders and producers. Over the years we have been able to select cow families that have these qualities and are good producers and performers. In addition to raising a marketable calf each year, our females have to meet two criteria including calving ease and good udders. These qualities ensure that the cow will be in production for years.

Lot 1 OCF 553N

R10619985 DOB: 1/7/25 PHN: 553N Brangus

OCF 332E R10394630 — OCF 915A80
MISS OAK CREEK 403C
MISS OAK CREEK 404J R10545804 — OCF 516F
MISS OAK CREEK 152A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
6.6	0.2	13	20	9	16	3.74	0.41	0.13	0.07	0.007	1.63	1.44	-4.55

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	65 lbs.	745 lbs.	39 cm.	11.81	4.56



Lot 2 OCF 773N

R10619989 DOB: 1/28/25 PHN: 773N Brangus

OCF 316J R10513473 — OCF 544G
MISS OAK CREEK 300G
MISS OAK CREEK 249G R10546038 — OCF 573D
MISS OAK CREEK 131A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.9	0.4	10	22	5	10	3.42	0.46	0.16	0	0	1.67	1.49	-8.67

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	68 lbs.	620 lbs.	37 cm.	9.75	3.1

OCF Five Star System

Scores and Ratings: We have evaluated each bull based on: **Disposition**, **Calving Ease**, **Udder** quality, **Maternal**, **Hair Coat**, and **Heterosis**. Each bull is scored on a scale of 1 to 5, where 5 indicates excellent and 3 represents the average. **See more info page 4!**

★ ★ ★ ★ ★

Lot 3 OCF 598N

R10622891 DOB: 1/2/25 PHN: 598N Brangus

OCF 332E R10394630 — OCF 915A80
MISS OAK CREEK 403C
MISS OAK CREEK 301D R10421369 — OCF 810B
MISS OAK CREEK 402B

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.2	0.6	15	22	8	16	3.4	0.13	0.11	0.05	0.003	0.9	1.3	-3.72

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	65 lbs.	600 lbs.	41 cm.	8.8	3.54



Lot 4 OCF 577N

R10622878 DOB: 2/26/25 PHN: 577N Brangus

OCF 447J R10492358 — OCF 361F
MISS OAK CREEK 517D
MISS OAK CREEK 331J R10545926 — OCF FORAGER 352F
MISS OAK CREEK 3G

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
6.3	0.2	12	24	7	13	3.3	0.46	0.05	0.02	0	1.69	1.21	-6.91

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	68 lbs.	712 lbs.	41 cm.	10.47	3.58



Lot 5 OCF 448N

R10619969 DOB: 12/22/24 PHN: 448N Brangus

OCF 566F

OCF 520J R10492438

MISS OAK CREEK 503D

OCF 588D

MISS OAK CREEK 520G R10502112

MISS OAK CREEK 446Z

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
6.9	0	11	33	8	14	3.58	0.27	0.06	0	-0.003	1.52	1.52	-3.01

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	63 lbs.	685 lbs.	40 cm.	11.88	4.11



Lot 6 OCF 464N

R10619971 DOB: 1/20/25 PHN: 464N Brangus

OCF 566F

OCF 520J R10492438

MISS OAK CREEK 503D

OCF 437A

MISS OAK CREEK FARMS 511G R10573092

MISS OAK CREEK 420D

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.1	0.7	9	31	11	15	3.75	0.16	0.1	0.02	0.001	1.63	1.28	-2.26

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	68 lbs.	612 lbs.	36 cm.	10.1	4.56

Lot 7 OCF 470N

R10619975 DOB: 1/23/25 PHN: 470N Brangus

I H RUDDER 504Y2

OCF 320H R10480263

MISS OAK CREEK 334F

OCF 501Z

MISS OAK CREEK 526B R10547760

MISS OAK CREEK 518W

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.5	0.7	16	26	7	16	4.44	0.4	0.04	0	0.003	0.77	1.49	-2.05

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	68 lbs.	700 lbs.	40 cm.	9.76	3.37

Lot 8 OCF 401N

R10622879 DOB: 12/15/24 PHN: 401N Brangus

M-B G508-A746 OF KH BRINKS

OCF 759L R10546612

MISS OAK CREEK 747F

OCF 337C

MISS OAK CREEK FARMS HILL1 R10573094

MISS OAK CREEK 857A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3	1.4	14	27	7	14	2.9	0.14	-0.04	0.13	0.003	1.11	1.61	-2.69

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	66 lbs.	596 lbs.	38 cm.	10.12	4.65

Lot 9 OCF 586N

R10619990 DOB: 2/5/25 PHN: 586N Brangus

OCF 361F

OCF 447J R10492358

MISS OAK CREEK 517D

S A V BLOODLINE 9578

MISS OAK CREEK 347K R10519848

MISS OAK CREEK 626H

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
7.6	-0.7	14	28	9	17	3.09	0.23	0.15	0.13	0.01	1.69	1.43	-1.61

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	60 lbs.	578 lbs.	43 cm.	10.1	2.7

Lot 11 OCF 568N

R10619986 DOB: 1/1/25 PHN: 568N Brangus

SKYHAWKS PRESIDENTE

OCF FORAGER 352F R10462567

MISS OAK CREEK 581D

OCF 19X

MISS OAK CREEK 553B R10419381

MISS OAK CREEK 200K

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4	1.1	9	17	5	10	2.66	0.38	-0.02	0.03	0	2.07	1.57	-6.2

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	70 lbs.	615 lbs.	34 cm.	9.48	3.26



Lot 12 OCF 29N

R10622880 DOB: 11/28/24 PHN: 29N Brangus

GR SWIFT 209W3

OCF 425L R10546772

MISS OAK CREEK 549D

OCF 530B

MISS OAK CREEK 127D RR10534774

MISS OAK CREEK 224A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4	0.9	13	31	4	11	3.2	0.31	0.13	0.05	0.007	0.49	1.18	-2.87

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDe	70 lbs.	654 lbs.	39.5 cm.	11.48	3.59

Lot 13 OCF 30N

R10622881 DOB: 1/14/25 PHN: 30N Brangus

GR SWIFT 209W3

OCF 425L R10546772

MISS OAK CREEK 549D

OCF 108Y

MISS OAK CREEK 205B RR10420800

MISS OAK CREEK 186U

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5	0.3	13	32	4	11	3.1	0.34	0.16	0.07	0.008	0.6	1.26	-3.1

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDe	69 lbs.	688 lbs.	36.5 cm.	12.06	4.41

Lot 14 OCF 443N

R10619970 DOB: 1/4/25 PHN: 443N Brangus

I H RUDDER 504Y2

OCF 320H R10480263

MISS OAK CREEK 334F

OCF 332E

MISS OAK CREEK 408H R10554219

MISS OAK CREEK 421D

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5	0.6	15	28	10	18	3.79	0.48	0.16	0.07	0.014	1.46	1.45	-3.92

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	71 lbs.	712 lbs.	44 cm.	10.8	3.83



Lot 15 OCF 556N

R10605456 DOB: 1/2/25 PHN: 556N Brangus

OCF 915A80

OCF 332E R10394630

MISS OAK CREEK 403C

OCF 348F

MISS OAK CREEK 3J R10547774

MISS OAK CREEK 35D

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.6	0.8	17	26	7	16	3.27	0.43	0.15	0.04	0.004	1.38	1.4	-6.41

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	69 lbs.	700 lbs.	39 cm.	10.83	3.86

Lot 16 OCF 250N

R10619965 DOB: 1/15/25 PHN: 250N Brangus

GR SWIFT 209W3

OCF 714H R10468192

MISS OAK CREEK 474D

OCF 301C

MISS OAK CREEK 212F RR10478429

MISS OAK CREEK 29B

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.9	1.1	9	21	6	11	3.38	0.21	0.03	-0.02	-0.004	0.59	1.25	-1.11

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDe	70 lbs.	723 lbs.	42 cm.	10.57	3.72

Lot 17 OCF 404N

R10619968 DOB: 9/24/24 PHN: 404N Brangus

I H RUDDER 504Y2

OCF 320H R10480263

MISS OAK CREEK 334F

OCF 915A80

MISS OAK CREEK 506G R10502111

MISS OAK CREEK 502Z

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.9	0.1	13	25	9	15	3.73	0.56	0.2	0.02	0.008	1.63	1.36	-6.04

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	68 lbs.	600 lbs.	38 cm.	10.62	3.74

Lot 18 OCF 580N

R10606963 DOB: 1/6/25 PHN: 580N Brangus

OCF 361F

OCF 447J R10492358

MISS OAK CREEK 517D

BRINKS LAMBERT 468X

MISS OAK CREEK 458A R10502413

MISS OAK CREEK 527T

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.6	0.5	13	27	8	15	3.23	0.26	0.08	0.01	-0.003	0.4	1.18	-7.83

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	65 lbs.	515 lbs.	39 cm.	10.4	3.95

Lot 19 OCF 41N1

RR10605240 DOB: 12/26/24 PHN: 41N1 Red Brangus

OCF 438H R10511977
OCF 322E
MISS OAK CREEK 517D

MISS OAK CREEK 7D RR10517194
OCF 228B
MISS OAK CREEK 118S

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
6.7	-0.2	8	20	4	8	3.05	0.45	0.06	0.04	0	0.95	1.27	-5.87

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee	66 lbs.	523 lbs.	41 cm.	12.19	3.65



Lot 20 OCF 15N

RR10622887 DOB: 12/11/24 PHN: 15N Red Brangus

OCF 218K RR10532387
OCF 8G
MISS OAK CREEK 197Z

MISS OAK CREEK 136Y RR10360229
OAK CREEK TARGET 2S
MISS OAK CREEK 476N

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.4	0.1	10	25	2	7	3.6	0.32	-0.09	0.01	0	0.13	1.38	-1.84

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee+	65 lbs.	598 lbs.	38 cm.	12.55	3.39



Lot 21 OCF 253N

RR10622888 DOB: 1/29/25 PHN: 253N Red Brangus

OCF 218K RR10532387
OCF 8G
MISS OAK CREEK 197Z

MISS OAK CREEK 236G R10498383
OCF 248D
MISS OAK CREEK 63W

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.8	0.1	6	20	2	5	2.8	0.3	-0.06	0.04	0.002	0.45	1.5	-0.49

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	ee	65 lbs.	623 lbs.	34 cm.	10.92	3.59

Lot 22 OCF 37N

RR10622892 DOB: 12/20/25 PHN: 37N Red Brangus

OCF 29K RR10524474
OCF 318G
MISS OAK CREEK 35D

MISS OAK CREEK 31X RR10330120
OCF TARGET 8N2
MISS OAK CREEK 52L

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.7	0.8	2	14	3	5	3.1	0.28	-0.1	0	-0.001	-0.51	1.18	-0.35

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	ee	68 lbs.	698 lbs.	38.5 cm.	11.41	4.09

Lot 23 OCF 269N

RR10619967 DOB: 2/12/25 PHN: 269N Red Brangus

OCF 232H RR10480023
OCF 84E
MISS OAK CREEK 199Z

MISS OAK CREEK 253Z RR10395102
DC WARRIOR 8S
MISS OAK CREEK 172L

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5	0.5	4	17	3	6	3.61	0.3	-0.12	0	0	-0.16	1.4	-0.94

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee	65 lbs.	528 lbs.	39 cm.	9.67	4.05



Lot 24 OCF 230N

RR10619962 DOB: 1/18/25 PHN: 230N Red Brangus

OCF 169H RR10513460
I H RUDDER 504Y2
MISS OAK CREEK 103E

MISS OAK CREEK FARMS 32K RR10572438
OCF 103D
MISS OAK CREEK 157A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.7	0.5	8	23	4	9	4.08	0.43	0.02	0.01	0.002	-0.22	1.34	-2.26

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	ee	65 lbs.	547 lbs.	41 cm.	10.95	4.23



Lot 25 OCF 282N

RR10622882 DOB: 1/15/26 PHN: 282N Red Brangus

OCF 29K RR10524474
OCF 318G
MISS OAK CREEK 35D

MISS OAK CREEK 1G1 RR10521963
OCF 272B
MISS OAK CREEK 131P

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.4	1.2	6	19	3	6	3.4	0.27	-0.15	-0.01	-0.002	-0.38	1.31	-1.74

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee	64 lbs.	687 lbs.	38 cm.	10.72	4.8



Lot 26 OCF 264N

RR10619966 DOB: 1/9/25 PHN: 264N Red Brangus

OCF 169H RR10513460
I H RUDDER 504Y2
MISS OAK CREEK 103E

MISS OAK CREEK 117L RR10151349
OAK CREEK'S GRANDSLAM D1
MISS OAK CREEK 284H

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
1.7	1.1	12	28	5	12	4.38	0.37	-0.05	-0.03	0	-0.62	1.2	-3.29

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee	65 lbs.	642 lbs.	38 cm.	10.27	4.68



Lot 27 OCF 236N

RR10619963 DOB: 12/1/24 PHN: 236N Red Brangus

OCF 232H RR10480023
OCF 84E
MISS OAK CREEK 199Z

MISS OAK CREEK 101E RR10450762
OCF 227B
MISS OAK CREEK 531Y

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.9	0.8	6	19	4	7	3.53	0.27	-0.07	-0.01	-0.001	-0.37	1.32	-1.6

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	ee	69 lbs.	574 lbs.	40 cm.	11.11	3.58



Lot 29 OCF 284N

RR10622889 **DOB: 12/29/24** **PHN: 284N** **Red Brangus**

OCF 8G

OCF 218K RR10532387

MISS OAK CREEK 197Z

OCF 19X

MISS OAK CREEK 18D RR10517842

MISS OAK CREEK 38S

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	4
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.9	0.5	10	25	3	8	3.3	0.28	-0.1	0.01	-0.001	0	1.29	-1.02

Fert Test	Color Cd	BW	WW	SC	REA	IMF
85%	ee	68 lbs.	581 lbs.	31 cm.	8.07	2.91

Lot 30 OCF 271N

RR10622883 **DOB: 2/2/25** **PHN: 271N** **Red Brangus**

OCF 8G

OCF 218K RR10532387

MISS OAK CREEK 197Z

OCF 227B

MISS OAK CREEK 40F RR10546515

MISS OAK CREEK 69B

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.6	0	13	29	3	10	3.4	0.3	-0.03	0.02	0.001	0.39	1.44	-1.37

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	ee	64 lbs.	593 lbs.	35 cm.	9.71	3.09

Lot 31 OCF 22N

RR10622893 **DOB: 11/6/24** **PHN: 22N** **Red Brangus**

OCF 588D

OCF 167J R10492351

MISS OAK CREEK 311C

OCF 227B

MISS OAK CREEK 261E RR10545732

MISS OAK CREEK 38W

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.9	1	10	24	4	9	3.4	0.35	-0.02	0	-0.002	0.2	1.35	-4.47

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	ee	70 lbs.	618 lbs.	40 cm.	9.36	3.12

Lot 32 OCF 474N

R10619976 **DOB: 2/26/25** **PHN: 474N** **Brangus**

I H RUDDER 504Y2

OCF 320H R10480263

MISS OAK CREEK 334F

OCF 576X

MISS OAK CREEK 549A R10360647

MISS OAK CREEK 100S

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.2	0.7	10	20	8	13	3.84	0.4	-0.02	0	0.006	0.91	1.57	0

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	65 lbs.	600 lbs.	40.5 cm.	11.28	4.64

True 3/8th x 5/8th Brangus were developed more than 75 years ago. They fit the environment better and thrive in the heat and still produce good, high-quality BEEF.

- **True Brangus can take the heat**…they have larger and more numerous sweat glands.
- **Carcass merit**…120 OCF steers graded 95% Choice & Prime.
- **Longevity**…you can expect 1 to 2 more calves in their lifetime.
- **Better foragers**…adapted to grazing on forage and shrubs.
- **Increased heterosis**…growth enhanced by the stabilized 3/8 Bos Indicus in OCF's 3/8 x 5/8 Brangus resulting in better performance with less inputs.
- **Insect tolerance**…OCF is in our 7th year with no fly treatment!





Lot 34 OCF 484N

R10622894 DOB: 3/24/25 PHN: 484N Brangus

GR SWIFT 209W3

OCF 714H R10468192

MISS OAK CREEK 474D

OCF 408U

MISS OAK CREEK 197A R10394626

MISS OAK CREEK 20N

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
3.9	1	9	21	7	12	3.4	0.17	0.11	-0.02	-0.005	0.69	1.19	-0.81

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	60 lbs.	617 lbs.	38 cm.	9.32	3.5

Lot 35 CF 465N

R10619973 DOB: 1/28/25 PHN: 465N Brangus

OCF 566F

OCF 520J R10492438

MISS OAK CREEK 503D

TDR JOHN WAYNE 302R

MISS OAK CREEK 499F RR10537261

MISS OAK CREEK 578A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.6	0.6	11	35	5	11	4.12	0.26	-0.01	0.01	-0.002	1.77	1.64	-1.91

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	66 lbs.	658 lbs.	38 cm.	9.21	4.69

Lot 36 OCF 482N

R10619980 DOB: 3/6/25 PHN: 482N Brangus

OCF 322E

OCF 438H R10511977

MISS OAK CREEK 517D

OCF 820A2

MISS OAK CREEK 424D R10471752

MISS OAK CREEK 586X

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
8.3	-0.5	13	26	13	20	3.31	0.26	0.06	0	0.001	1.64	1.26	-4.58

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	60 lbs.	579 lbs.	36 cm.	9.35	3.04

Lot 37 OCF 500N

R10619982 DOB: 4/30/25 PHN: 500N Brangus

SKYHAWKS PRESIDENTE

OCF FORAGER 352F R10462567

MISS OAK CREEK 581D

OCF 588D

MISS OAK CREEK 570G R10547755

MISS OAK CREEK 221Y

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	4
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4	1.2	12	22	6	12	3.37	0.44	0.04	0.05	0.002	2.65	1.63	-9.66

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	72 lbs.	632 lbs.	42 cm.	8.85	4.06

Lot 38 OCF 16N

R10622890 DOB: 2/4/25 PHN: 16N Brangus

OCF 318G

OCF 8L RR10546435

MISS OAK CREEK 183Z

OCF 439P14

MISS OAK CREEK 148Z R10420799

MISS OAK CREEK 146M

FIVE STAR SYSTEM	
Disposition	4
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.7	0.6	-6	4	3	1	3.8	0.17	-0.18	0.01	0	-0.11	1.28	-0.37

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDe	60 lbs.	621 lbs.	40 cm.	9.92	4.33



Lot 39 OCF 501N

R10619983 DOB: 4/1/25 PHN: 501N Brangus

OCF 915A80

OCF 332E R10394630

MISS OAK CREEK 403C

OCF 915A80

MISS OAK CREEK 538G R10509400

MISS OAK CREEK 416A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.8	0.8	19	28	11	20	3.34	0.47	0.23	0.04	0.004	2.4	1.24	-8.52

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	70 lbs.	599 lbs.	40.5 cm.	10.07	3.04



OCF 332E- Sire of Lots 1, 3, 15, 39, 40, 42

Lot 40 OCF 596N

R10622884 DOB: 1/17/25 PHN: 596N Brangus

OCF 332E R10394630
OCF 915A80
MISS OAK CREEK 403C
MISS OAK CREEK 406E R10450625
OCF 820A2
MISS OAK CREEK 412A

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.3	0.5	14	24	10	18	3.7	0.18	0.15	0.03	0.004	0.96	1.23	-4.76

Fert Test	Color Cd	BW	WW	SC	REA	IMF
85%	EDED	68 lbs.	576 lbs.	44 cm.	8.93	4.25



Lot 41 OCF 774N

R10619988 DOB: 1/3/25 PHN: 774N Brangus

OCF 527K R10522095
OCF 505G
MISS OAK CREEK 308X
MISS OAK CREEK 409J R10547769
OCF 516F
MISS OAK CREEK 425Z

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5-
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5	0.7	3	10	8	10	3.55	0.28	0.05	0.06	0.003	1.58	1.45	-2.07

Fert Test	Color Cd	BW	WW	SC	REA	IMF
85%	EDED	68 lbs.	541 lbs.	37 cm.	9.92	3.99

Lot 42 OCF 496N

R10622885 DOB: 2/18/25 PHN: 496N Brangus

OCF 332E R10394630
OCF 915A80
MISS OAK CREEK 403C
MISS OAK CREEK 432J R10519846
OCF 516F
MISS OAK CREEK 579Y

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.9	0.4	17	24	10	18	3.4	0.39	0.11	0.07	0.007	1.75	1.52	-4.34

Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	65 lbs.	587 lbs.	39 cm.	9.03	3.48

Lot 43 OCF 490N

R10622886 DOB: 2/12/25 PHN: 490N Brangus

OCF 467K R10537106
IH MR. ISMAEL 820G3
MISS OAK CREEK 445B
MISS OAK CREEK 402H R10536902
OCF 332E
MISS OAK CREEK 879B

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	5
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
5.8	0.4	14	30	7	14	4	0.05	0.19	-0.03	-0.002	0.39	1.51	-0.53

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	66 lbs.	623 lbs.	38.5 cm.	7.55	4.08

Lot 44 OCF 466N

R10619972 DOB: 2/15/25 PHN: 466N Brangus

OCF 320H R10480263
I H RUDDER 504Y2
MISS OAK CREEK 334F
MISS OAK CREEK 487F R10546041
TDR JOHN WAYNE 302R
MISS OAK CREEK 561P

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	3
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
4.7	0.8	12	25	6	12	4.57	0.51	0.04	0	0.003	1.33	1.37	-4.27

Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	67 lbs.	614 lbs.	36.5 cm.	8.75	4.01

Lot 45 OCF 499N

R10619981 DOB: 5/12/25 PHN: 499N Brangus

OCF 520J R10492438
OCF 566F
MISS OAK CREEK 503D
MISS OAK CREEK 419H R10515845
OCF 332E
MISS OAK CREEK 540B

FIVE STAR SYSTEM	
Disposition	5
Calving Ease	5
Udder	3
Maternal Traits	5
Hair Coat	5
Heterosis	5

CED	BW	WW	YW	MILK	TM	CEM	SC	REA	IMF	FT	Hfr Prg	Stay	Cow Wt
7.1	0.1	11	30	9	14	3.79	0.23	0.1	0.02	0.001	1.56	1.46	-1.32

Fert Test	Color Cd	BW	WW	SC	REA	IMF
	EDED	63 lbs.	525 lbs.	38.5 cm.	7.4	2.81



OCF 320H - Sire of Lots 7, 14, 17, 32, 44

Commercial Females Selling

30+ Oak Creek Farms Source Verified Commercial
Brangus & Red Brangus Females
Females sell after the Bulls!



TERMS AND CONDITIONS

Except for those stated in the below terms and conditions, there are no warranties, either expressed or implied, as to the merchantability or fitness for a particular purpose with respect to the cattle being sold at this auction. The warranties and guarantees set forth in the "Terms and Conditions" are in lieu of all other warranties, either expressed or implied, and the remedies provided therein shall be the sole and exclusive remedy of the buyer, or any party through buyer, for any breach of warranty or guarantee therein provided, and all other obligations or liabilities.

1. BIDDING: Each animal will be sold to the highest bidder without reserve. The auctioneer in charge will settle any disputes as to bids, and his decision shall be final.

2. TERMS: All terms are cash or check. Settlement must be made to the clerk at the conclusion of the auction before any cattle will be released from sale the sale premises.

3. PURCHASER'S RISK: Each animal becomes the risk of the purchaser as soon as sold, but will not be delivered until settlement has been made.

4. HEALTH: All animals where possession is sold are eligible for interstate shipment except as otherwise noted. All bulls have passed a fertility test. A health certificate will be furnished.

5. ANNOUNCEMENTS: Announcements from the auction box will take precedence over the printed matter in this catalog. All cattle will be sold by lot numbers as announced by the auctioneer.


6. BREEDING GUARANTEE: A. All animals are guaranteed to be breeders with the exception of (1) injury or disease occurring after sale; (2) negligence or willful misconduct on the part of the purchaser. Bulls losing more than 20% of their body weight will be excluded from the guarantee. **B.** Any female is considered a breeder if she is pregnant at the time of the sale and/or she has a calf at side. **C.** Safe in calf females have been examined by a competent veterinarian and are so guaranteed. **D.** Served females are believed to be in calf but are not so guaranteed. **E.** Pasture-bred females have been exposed but are not guaranteed to be in calf. **F.** Open females have not been served and are so guaranteed.

7. OPTIONS AND PRIVILEGES OF RETURN OR ADJUSTMENT: A. All claims for adjustment or refund must be made in writing within six (6) months of the sale date. **B.** Any animal that has not proven itself a breeder within the time limits specified above, if in healthy condition, may be returned to seller at buyer's expense. The seller reserves the right and privilege of trying for a period of six (6) months to prove the animal a breeder. If proven a breeder, the animal will be returned at buyer's expense. Should the animal fail to breed, the buyer, at his option, may either demand return of the purchase price or replacement of the animal with another of equal value. **C.** Any animal returned must have a veterinarian's certificate that it is healthy and free of Bangs and Tuberculosis.

9. RIGHTS AND OBLIGATIONS: 1. The above terms and conditions of sale shall constitute a contract between the buyer and seller of each animal and shall be equally binding upon both. **2.** Animals resold following purchase in this sale shall constitute a separate transaction, and the rights and obligations of the two parties connected thereto are not covered by the terms and conditions of this sale. **3.** All persons who attend the sale do so at their own risk and the owners nor any person connected with the management of the sale or sale facility assume any liability, legal or otherwise, for any accidents which may occur.



Thank you to our Sponsors!



Est. 1974

Linseisen's Feed & Supply

Bellville, Tx

(979)-865-3602


Oak Creek Far












73




95












60 YEARS
OAK CREEK
FARMS
Breeding Brangus
Since
1967



UNDERSTANDING COW PRODUCTION AND FRAME SIZE

Importance of Efficiency and Benefits of Moderate Framed Cattle



COW-CALF PRODUCTION IS BASICALLY A MANUFACTURING PROCESS, turning grass into high-quality, edible protein for which there is a substantial and critical demand. Just like a 100-watt light bulb uses more energy than a 60-watt bulb, large cows require greater energy input than moderate-framed cows.

Since larger cows have a higher maintenance energy requirement than moderate framed cows and because they operate in a grazing environment for much of the year, they satisfy that higher energy requirement through higher dry matter intake. The larger cows simply consume more forage and have higher associated feed costs. An accurate way to evaluate individual cow performance efficiency is the weaning weight of her calf relative to her mature weight. The rancher's goal might be a calf's weaning weight of 50% of the cow's weight and that could be a benchmark for culling a cow.

There is no question that the annual variable costs for a large cow are higher than for a moderate-framed cow. It is estimated that the annual dry matter intake increases by approximately 550 pounds and supplement costs increase by $15 - $20 for every 100 pounds of increase in body weight. The question becomes, can the larger cow wean a sufficiently heavier calf to offset the increased costs?

High on the list of priorities is producing more efficient cattle by using the right kind of bulls to produce more moderate-framed cattle. Oak Creek Farms True Brangus and Red Brangus cattle are developed on forages, plus Brangus is a breed known for good maternal traits that produce cattle with excellent replacement heifers."

Forages also aid in fertility, increasing a bull's productivity by one to three breeding seasons and enhancing the bull's libido resulting in a bull that is not overly conditioned and is in excellent breeding condition

Cattle able to thrive, be cost-efficient and grade well, plus pounds of beef weaned, is what the commercial cattleman wants.



DNA PROFILING AT OAK CREEK FARMS

Technology Used for Selecting Beef Genetics

JOHN AND CAROLYN KOPYCINSKI BELIEVE THAT DNA PROFILING CAN HELP THEM EFFECTIVELY IN SELECTION DECISIONS. "I cull up to 25% of my cow herd each year," Kopycinski says. "The top 75% stay." He keeps all his top females for breeding and to produce predictable, easy-fleshing, fertile bulls that will be an asset to bull customers. He markets his forage-developed bulls in annual production sales.

Kopycinski adds that the DNA test for hair coat color helps him make mating decisions in a herd where he maintains black Brangus and Red Brangus. Now he can know, for example, if a black-coated animal is homozygous black and therefore will transmit only the black gene to his progeny.


Kopycinski says he is pleased so far with the similarity he has seen between the genetic DNA profiling he has done and the phenotypic expression of the animals he's witnessed in the pastures. DNA Profiling test which measures carcass traits measuring fat thickness, yield grade, ribeye area and hot carcass weight. "I'm looking for cows that will be good keepers."

Above all, Kopycinski is using genetic marker data in perspective. It cannot replace the work of the breeder, the eye for balance and function he says. However, it is an invaluable tool that adds to the breeder's base of knowledge about how his animals will perform.

Kopycinski thinks overemphasis on any technology can lead a breeder to wrong conclusions. For example, he says experience tells him selecting young bulls with too much reliance on ultrasound readings can lead to slower-maturing animals that reach sexual maturity at a later age.

That earlier-maturing bull - maybe a bull with higher libido - is already in full rut, looking over the fence or down the road at those females," Kopycinski says. "The bull is busy thinking about breeding instead of eating and he may put on less weight and less muscle, but in time catches up with the later-maturing bulls.

Kopycinski now has almost 60 years of experience breeding cattle, but he says you never stop learning. "I always keep in mind what an old cattle breeder told me years ago that genetics is a science that can make a fool out of the smartest man."



BEARD NAVASOTA VETERINARY HOSPITAL

Paul Schmitt DVM at (936) -825-3877
8176 Highway 90S
Navasota, TX 77868

HEALTH PROTOCOL
BULLS

■ **Vaccines**

• Virashield 6 VL5 - 5cc SQ

• Ultrachoice - 8way clostridial - 2cc SQ

■ Dewormer

• Pour on - Cydectin/ Generic Ivermectin

• Injectable - LongRang/ Valcor/ Cydectin Injectable

■ Additional Options

• +/-Multimin 90

OTHER MANAGEMENT RECOMMENDATIONS

■ **Breeding Season**
• Recommend palpation of cows 30 days after the bull is pulled. Due to the fact the bull runs from Dec-May, recommend palpation/ U/S at April 1 to split the group into 2 breeding windows and improve the cow-to-bull ratio without buying more bulls. Cows confirmed bred early can be sorted off to allow for appropriate forage management.
■ **Heifer Management**

• Heifers can be given lutalyse 10 days prior to bull turnout to make them synchronize their cycles to improve early conception. Heifers should be 75% of their mature body weight prior to breeding for optimal; conception. Early pregnancy detection through ultrasound can also be used here. Heifers who breed early are the most profitable and can be retained. Those heifers who do not conceive in the breeding window can be sold as open-replacement heifers.
■ **Bull Management**
• Bulls should be semen tested and trich tested 45-60 days prior to turn out to allow time for replacements to be acquired. Subfertile bulls who do not pass a BSE can be retested prior to turnout to see if they improve at spermatogenesis which takes 60 days.
■ **Calf Management**
• Calf management can be adjusted based on health data from the feed yard and problems that occur in neonatal calves. This will be an ongoing process based on the weather and data from the end user.

LiveAuctions.TV 2.0

SUPERIOR PUREBRED AUCTIONS
superiorlivestock.com

HOW IT WORKS

Go to **www.LiveAuctions.tv**. Please note that you do NOT need an account to watch the auction, but you do need to register an account and request a buyer number if you wish to bid. If you do NOT have an account, click “Register” in the top right corner of the homepage and create a new account. Once you have completed the form on this registration page and hit the “Register” button, you will receive an email with a place to click on to verify you have entered a valid email address. Once you have completed this registration process, find the auction you are interested in on the homepage and click on it (sales are listed in chronological order). You should then see a box that says Login. Now that you have an account with LiveAuctions, just type in your email address and password. You will now see a hyperlink at the top that says “Request a Buyer Number”. The first time you request your first buyer number on LiveAuctions, it will send you a text message with a verification code in it. Type the code from the text message into the required field, and you will then see your name, along with a buyer number, listed at the top of the webpage where the live video is displayed. You will be able to bid. You will only have to complete this two-step verification process one time. After that, you will be able to immediately request a buyer number on any auction without verification through an email or text message again.


LiveAuctions no longer requires an app. You can view/register/bid with any smartphone; just type LiveAuctions.tv into your web browser. The registration process is the same as it is on a desktop computer, but the website is built to be mobile-friendly. Click on the three lines in the top right corner to access the menus.

Bidders who are successful in making purchases will be contacted by the ranch after the auction to settle payment and discover your shipping plans.

If you need help registering to bid or to view the auction, please call Technical Support at (682) 816-4900 or e-mail us at TechSupport@LiveAuctions.tv.



Through the Years...































Oak Creek Farms

Forage Developed Spring Brangus Bull Sale









60 YEARS
OAK CREEK FARMS
Breeding Brangus
Since
1967

