

# OAK CREEK FARMS

**K** *Forage Developed Registered Spring Brangus Bull Sale* **K**

**Saturday, April 25, 2026 • 12:30 pm**

Oak Creek Sale Facility, Chappell Hill, Texas

**50 Brangus, Red Brangus and Angus Bulls Sell**

Commercial Heifer Sale to follow Bull Sale

**Brangus on Forage • Low Maintenance Bulls • Excel in Carcass Quality  
These are Conventional True Registered Brangus Cattle**

**LiveAuctions** TV 2.0

**We are in our 11th year with no fly treatment! These are true environmentally friendly cattle!**

## **MAXIMIZE HETEROSIS WITH TRUE BRANGUS**

Brangus was developed 75 years ago to capture the "hybrid vigor" of two elite breeds. Unlike EPDs, **heterosis** isn't naturally inherited; it diminishes over generations unless maintained through a stable, disciplined breeding program—the famed hallmark of **Oak Creek Farms (OCF)**. **Heterosis** provides the biggest boost to "environmental" traits: **adaptability, longevity, fertility, and disease resistance**. By utilizing OCF's True Brangus genetics, you lock in these advantages, ensuring superior performance across diverse climates. Our repeat buyers are the ultimate proof of the **OCF** difference.

### **SALE CONTACTS**

Owner: John Kopycinski 979-251-2530

Consultants: Gary Bruns 830-391-0766 • Kent Smith 979-540-8338

Mike Arnold 979-732-7679 • Charlie Tiner 713-252-4662

Auctioneer: Troy Robinett 817-995-7509



## **OAK CREEK FARMS**

*"Breeding Brangus Since 1967"*

**Carolyn & John Kopycinski**

Cell: 979-251-2530

13750 FM 1371 • Chappell Hill, Texas 77426

[oakcreekfarms@hughes.net](mailto:oakcreekfarms@hughes.net)

**Christi & Matt Strock**

Cell: 713-204-8107

14050 FM 1371 • Chappell Hill, Texas 77426

[www.OakCreekFarms.com](http://www.OakCreekFarms.com)

From Houston: 60 miles west on Hwy 290, then 4 miles south on FM 1371.



**K** **Our Top Coming Two-Year-Old Forage Tested OCF Bulls Will Sell!** **K**  
*Utilizing Ultrasound for 43 Years and DNA for 23 Years for Genetic Improvement*

# OAK CREEK FARMS

*Your Source for Forage Developed Bulls*

**WE HAVE BEEN BREEDING BRANGUS CATTLE AT OAK CREEK FARMS IN CHAPPELL HILL, TEXAS SINCE 1967.** For over 59 years, we have built our herd to over 1,000 head of Brangus, Red Brangus and Angus. We are excited to announce that our daughter, Christi Kopycinski Strock, her husband Matt, and their three sons, John, Robert and Will, are committed to continuing our breeding program at Oak Creek Farms. They are working closely with us to plan for the future and the expanding opportunities in the beef cattle industry.

Our mission is simple and includes three core principles:

1. Be educated on the evolving market and what the beef consumer demands.
2. Provide a product that ensures customers return and give referrals.
3. Make money producing a product that is environmentally friendly and cost-efficient.



The focus will continue to be breeding cows that have good udders, calve every year without any problems, raise their calves out in the pasture on forages without supplements until weaning in order to stay in the herd, and after weaning, the calves must maintain a forage-based diet. We are constantly improving our genetics by having our heifers and first calf cows in an intensive AI program. We keep the top 50% of the heifer crop each year and cull the bottom 25% of the cows. Cattle are selected for phenotype, performance and fertility.

The Brangus breed's genetic makeup has advantages of the true conventional stabilized genetics of 3/8 Brahman x 5/8 Angus that thrive in our hot, humid Gulf Coast Climate. Brangus express disease resistance, hardiness and maternal instincts from the Brahman and superior carcass qualities exhibited in Angus, including excelling in fertility, maternal and milking. With the high cost of feed and fertilizer, the bull buyer is continuously demanding more forage-efficient bulls. We do not treat cows with calves at side for flies and other parasites, enabling the selection of the hardest animals and also allowing beneficial insects to flourish, including some that aerate and increase fertilization in the soil naturally.

In order to get carcass trait information, we have utilized ultrasound technology for around 43 years to identify intramuscular fat (IMF) and also DNA testing for 23 years for heritable traits. The bulls we have been using for the last 28 years have an IMF of about 4% or more. Of the 120 calves we most recently sent to the feedlot, 47% graded premium choice, 45% graded choice and 3% graded prime from the harvest data.

The genetics in the sale are a result of 59 years of breeding and producing forage-efficient, easy-fleshing Brangus and Angus cattle. **We have an excellent set of Bulls and Commercial Heifers that will sell on April 25, 2026, at 12:30 pm at the ranch in Chappell Hill, Texas.**

Our family is excited for the future and we look forward to seeing you at the sale!

Carolyn and John Kopycinski

Christi and Matt Strock



# GENERAL INFORMATION

## *Selling Coming Two-Year-Old Forage Tested OCF Bulls*

All Bulls are Oak Creek Farms Bred and Raised!

Also Selling 50 Commercial Brangus and Red Brangus Heifers! Open and Ready to Breed.

**Saturday, April 25, 2026 • 12:30 pm CST**

**Oak Creek Farms Sale Facility, Chappell Hill, Texas**

### *Schedule of Events*

**Friday, April 24, 2026**

**2 pm** Cattle available for Viewing  
**6 pm** Jim Johnson, Zoetis Genetics  
Replacement heifer testing/New Traits for  
BRD identifying genes for a better product.  
Cattlemen Ribeye Steak Dinner

**Saturday, April 25, 2026**

**8 am** Coffee and Kolaches  
**Viewing of Cattle**  
Followed by Chappell Hill Bakery & Deli  
BBQ Lunch  
**12:30 pm** Oak Creek Farms  
Forage Developed Bull Sale  
Followed by Commercial Female Sale

### Sale Location

Oak Creek Farms  
13750 FM 1371  
Chappell Hill, Texas 77426

### Directions

**From Houston:** Go about 60 miles on Hwy 290 West, then 4 miles south on FM 1371.

**From I-10:** At Sealy, north on Hwy 36 to Bellville, at Courthouse Square take FM 1456 7 miles north, then 4 miles on FM 1371.

**From Austin:** Take Hwy 290 East for about 100 miles until the intersection FM 1155 at Chappell Hill (there is a traffic light at the intersection). Go about 1 mile and then south 4 miles on FM 1371.



### Oak Creek Farms

John & Carolyn Kopycinski • (979) 251-2530, cell  
Christi K. Strock • (713) 204-8107  
www.oakcreekfarms.com  
oakcreekfarms@hughes.net

**Bulls Selling** ~ 50 Coming Two-Year-Old Forage Tested OCF Bulls ~ Brangus, Red Brangus, Angus

**Commercial Females Selling** ~ 50+ Source Verified Commercial Females ~ Females sell after the Bulls!

**Auctioneer** ~ Troy Robinett • (817) 995-7509

**Sale Day Consultants** ~  
Gary Bruns (830) 391-0766  
Kent Smith (979) 540-8338  
Mike Arnold (979) 732-7679  
Charlie Tiner (713) 252-4662

**Shipping/Hauling Arrangements** ~  
Contact Oak Creek Farms

**Accommodations** ~ Please call Oak Creek Farms

**Terms and Conditions** ~ Refer to page 14.

**Oak Creek Farms Five Star Rating System** ~ Refer to page 4. Bulls and their dams have been evaluated & scored for a range of traits.

**Expected Progeny Differences (EPDs)**  
Information available sale day.

**Health Requirements** ~ Cattle will be accompanied by proper health certificates for immediate shipment. **All bulls have Fertility, BVD and PI tested and have tested negative for Trichomoniasis.**

**Liability** ~ All persons attending the sale do so at their own risk, legal or otherwise, for their own safety or behavior of animals. OCF assume no liability for property loss or accidents that may occur.

**SALE CARRIED LIVE at [www.liveauctions.tv](http://www.liveauctions.tv)**



# OAK CREEK FARMS

## *Back to the Basics on Forage*

**With the high cost of fuel and fertilizer, cattlemen are looking for a way to keep costs down and at the same time produce a better product.** Looking back about 75 years ago after World War II when fuel, fertilizer, and feed were cheap, ranchers began feeding cattle and feedlots came into being. In 1967 the Texas Cattle Feeders Association was formed. Before WWII cattle were developed mainly on forages.

However, in the last several years fuel and fertilizers have really increased in price and this past year prices have gone over the top. Producers have to find more economical ways to produce beef. Cattle that can gain on grasses without having to spend as much on fertilizer and feed will be more cost-efficient. Oak Creek Farms is developing its cattle on forages and selecting the cattle that do well in this hot humid environment. Oak Creek Farms forage-developed cattle helps keep inputs down.

“Also, you need to be careful of cattle that are in front of a feed trough too much of their life. These animals are not developed to make it on forages. I am selecting cattle that do the best on forages,” says John Kopycinski.

“I think that cattle in our climate need to have more developed sweat glands and have less hair in this climate than those cattle further north. All of these factors are important when selecting and breeding cattle,” says Kopycinski.

Foraged-developed bulls will not gain as much weight as they would if they were on full feed, but they will be in better condition and have increased reproductive efficiency along with increased libido. Commercial cattlemen need bulls that are ready to go and are accustomed to covering ground. A good bull does not need to be over-conditioned. He just needs to carry the genetics that will give his calves the ability to gain weight and finish.

As part of Oak Creek’s straightforward Total Herd Management Program, up to 25 percent of

the cow herd is culled annually keeping the top end of the heifer crop to replace the culled mature cows. Cattle are selected for phenotype and performance plus fertility. With the high cost of feed and fertil-

*Kopycinski is always looking for ways to get back to the basics and has discovered that by not treating the cows with calves at side for flies and parasites, the hardier animals will stand out plus the dung beetle population flourishes in those pastures. When dung is buried by the beetles, nitrogen loss is 20% with 80% being placed in the grass root zone aerating and improving the soil naturally.*

izer, the bull buyer is demanding more forage-efficient bulls. Kopycinski’s interest in efficiency and conservation practices led him to initiate Oak Creek’s Grass/Forage program. Kopycinski is always looking for ways to get back to the basics and has discovered that by not treating the cows with calves at side for flies and parasites, the hardier animals will stand out plus the dung beetle population flourishes in those pastures. When dung is buried by the beetles, nitrogen loss is 20% with 80% being placed in the grass root zone aerating and improving the soil naturally.

Forage-developed cattle and using ultrasound and DNA results for marbling and tenderness help Kopycinski in selecting the best cattle to keep in the herd. Using genetics that thrive on forages and also produce an optimum product is their goal.



# FORAGES AND GENETIC TESTING

## *Key to Building a Solid Program at OCF*

**Today's high input cost for developing cattle is a real concern to the American cattleman.** Oak Creek Farms in Chappell Hill, Texas has implemented a program to raise cattle as economically as possible. Forages are the foundation of their program.

John and Carolyn Kopycinski, owners of Oak Creek Farms located about 60 miles northwest of Houston run Brangus Cows in the Brazos River bottom. All of their cattle are developed on forages in the Gulf Coast area where it gets hot and humid. They have a center pivot that irrigates up to 155 acres so they have forages in reserve in the form of hay and good quality Wrapped Balage. The cattle thrive on forages which they believe is the only way to make a profit in today's market atmosphere with the high input cost.

At weaning our forage-developed bulls receive a limiter. At sale time the bulls will not be very fat, but they will be in good physical condition and will be ready to go to work. "The bulls are being conditioned for efficiency and heat tolerance. Kopycinski says, "They do not get any shade until the temperature gets over

90 degrees." He calls this part of the forage test, the stress test. He also adds, "The reason we test the bulls in the hot summertime is that it allows us to test their heat tolerance and see if they have well-developed sweat glands that they need in this part of the country. Bulls that can't take the heat are eliminated." He said to remember that just because a bull has a smaller frame does not mean he is more forage-efficient or heat-tolerant.

Breeders have to look at the bull's performance and his genetic data collectively. Kopycinski referred to Dr. Jan Bonsma who did a lot of studies in the 1950s. Bonsma said that an animal has to be happy in their environment, meaning that they have to be able to survive and thrive.

Referring back to forages, Kopycinski notes, "We have found that Tifton 85 works the best by far. We will start with over 200 bulls on 35 acres and they never run out of forages in this system. We use nitrogen to fertilize the Tifton 85 in the summertime. The bulls will recycle some fertilizer back on the land. We use a supplemental limiter to develop the bulls because here in the Gulf Coast region our grasses are not as strong as they are further north. You have to know your environment."

Some of the forages used are Tifton 85, Jiggs and common Bermuda grass on the improved pasture. In the native pastures, he has some native bluestem and Bahia. He says that the legumes that work in his environment are burr clovers, ball clover, Persian clover, and Bigbee Burseem. He tries to center his breeding season around legumes to help cows rebreed. The bonus is that clovers can obtain nitrogen from the atmosphere and "fix" it in nodules on its roots called nitrogen fixation. Oak Creek Farms endeavors to improve the environment and produce environmentally friendly cattle.



# OAK CREEK FARMS

## About Our Program...

### Total Herd Management Program Producing Forage Efficient Cattle with Desirable Carcass Traits

Oak Creek Farms has been a grass-based operation breeding registered Brangus and Red Brangus since 1967, however, the Kopycinski family has been in agriculture for more than 100 years in Austin and Washington counties in south central Texas. Oak Creek is in the business of producing forage-efficient, easy fleshing registered Brangus cattle that have desirable carcass traits.

John Kopycinski, the owner, says that he produces medium-framed, well-balanced cattle that thrive on forages and are heat tolerant. In south central Texas cattle experience extreme heat and humidity, and Oak Creek's Brangus cattle must be able to thrive in these conditions. Cows must also have good udders and be fertile to stay in the herd. They must calve every year without calving problems and be able to raise the calf out in the pasture on forages without being supplemented. "Our cattle are raised and developed on forages," says Kopycinski. As part of his total management program, he culls about 25 percent of his herd each year so that he is constantly improving the genetics of his cattle.

"Selecting and identifying bulls with favorable carcass traits for tenderness and marbling, plus identifying feed efficiency traits are key components in our registered Brangus herd," says John and his wife, Carolyn. Oak Creek is home to approximately 1000 head of registered Brangus and Red Brangus cattle. He has been DNA testing his bulls for the last six years using the results in management and breeding decisions.

"Our goal is to raise cattle that produce tender, juicy beef that people enjoy eating," says John Kopycinski. To market their bulls, Oak Creek Farms has their annual Forage Tested Registered Bull Sale each October that attracts buyers from Texas and across the nation. "Each year our customers become more interested in our forage-based program along with the DNA testing results. Buyers will be able to use the information to select bulls that will best fit their ranch program," explains Kopycinski. The bulls have also been ultrasounded and fertility tested. "We want to give the buyer as much information as we can so that he can make an informed decision, and we also want to be sure that the bull is ready to go to work when he gets to his new home."

All sale bulls are OCF bred and developed at Oak Creek Farms in the hot and humid Gulf Coast area. Over 200 bulls begin the forage test each year, and about 50 will make the spring sale, and 55 sell in the sale held toward the end of October.



### Oak Creek Farms' Five Star Rating

Oak Creek Farms has evaluated and scored bulls and their dams using a range of traits. Each trait is assigned a score from 1 to 5, with 5 being excellent and 3 being average.

**Disposition:** Bulls that remain calm receive high scores while bulls that display nervousness, fear, or aggression receive lower scores.

**Calving Ease of Dam:** Cows that have no problems calving receive high scores, while cows that may take a longer time to calve or recover from calving receive lower scores.

**Udder Quality of Dam:** Teat size that allows the calf to easily suck receives higher scores, while teat size that may be a little larger and makes it harder for the calf to suck receives lower scores.

**Maternal Instincts of Dam:** Cows that easily calve, have excellent teat/udder size, and protect and nurture calf while maintaining good body condition receive higher scores, while those that do not do as good a job receive lower scores.

**Hair Coat:** A bull that maintains a sleek, healthy hair coat in hot months and a thick, shiny coat in cold months receives higher scores, while bulls that have an unhealthy coat receive lower scores.

**Heterosis Traits when Crossbred:** Hybrid vigor expectancy for crossbred offspring will show greatest gains in fertility, longevity, calf survival, growth to weaning and general health. These traits will be greater when crossed with breeds that are more distant from the bulls' genetics.

*Oak Creek Farms is home to more than 1,000 head of registered cattle including Brangus and Red Brangus. Breeding cattle has been our business since 1967. Our goal then and our goal now is breeding cattle that are exceptional both in performance and quality. We utilize the latest technology including ultrasound and DNA testing to determine marbling and tenderness.*

*The beef industry has evolved to value-based marketing and OCF's years of experience in the selection of superior, efficient cattle has resulted in producing uniform, low maintenance, high performing cattle that grade well and meet the industry's demands. We forage test our bulls so that when we sell them they will be ready to go straight from our pasture to the buyer's pasture and be ready to go to work, plus with forage testing, we can evaluate the cattle and select cattle that are more adaptable to our hot humid environment. Cattle raised on forage are more cost-efficient, and we along with many of our customers observe that these forage-tested bulls have a lot of staying power out in the pasture because that is how they were developed.*

*Developing cattle on forage ensures the best overall performance and quality of the animal. High volume, fertile cattle that have clean lines, good bone and muscle, good udders on cows, and good testicles on bulls are important to all cattle breeders and producers. Over the years we have been able to select cow families that have these qualities and are good producers and performers. In addition to raising a marketable calf each year, our females have to meet two criteria including calving ease and good udders. These qualities ensure that the cow will be in production for years.*

**Lot 1 OCF 752N**  
 R10601672 DOB: 10/4/24 PHN: 752N Brangus

OCF 544G OCF 915A80  
 OCF 316J R10513473 MISS OAK CREEK 300G MISS OAK CREEK 575A  
 MISS OAK CREEK 300G STONEWALL OF RRR 222W6  
 MISS OAK CREEK 581E  
 OCF 227B OCF 108Y  
 MISS OAK CREEK 404F R10478384 MISS OAK CREEK 340W  
 MISS OAK CREEK 424D OCF 820A2  
 MISS OAK CREEK 586X

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
4+	4	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	70 lbs.	772 lbs.	42 cm.	13.560	4.170	

**Lot 3 OCF 758N**  
 R10601674 DOB: 9/30/24 PHN: 758N Brangus

OCF 544G OCF 915A80  
 OCF 316J R10513473 MISS OAK CREEK 300G MISS OAK CREEK 575A  
 MISS OAK CREEK 300G STONEWALL OF RRR 222W6  
 MISS OAK CREEK 581E  
 GR SWIFT 803C24 GR SWIFT 209W3  
 MISS OAK CREEK 456F R10518988 MS BRINKS MCCREA 803X7  
 MISS OAK CREEK 518A OCF 576X  
 MISS OAK CREEK 184P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	4	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	68 lbs.	786 lbs.	39 cm.	13.703	4.394	

**Lot 4 OCF 530N**  
 R10605266 DOB: 10/27/24 PHN: 530N Brangus

TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 OCF 304J R10509518 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 MISS OAK CREEK 46G OCF 573D  
 MISS OAK CREEK 108C  
 OCF 800B OCF 805W  
 MISS OAK CREEK 497E R10518265 MISS OAK CREEK 810W  
 MISS OAK CREEK 425Z OCF 559W  
 MISS OAK CREEK 561P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5-	4+	5	5	5-	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
85%	EDED	67 lbs.	630 lbs.	43 cm.	13.172	3.954	

**Lot 5 OCF 753N**  
 R10601673 DOB: 3/25/25 PHN: 753N Brangus

OCF 505G OCF 915A80  
 OCF 527K R10522095 MISS OAK CREEK 308X MISS OAK CREEK 421Z  
 MISS OAK CREEK 308X OCF 836U  
 MISS OAK 829N  
 OCF 501Z OCF 53S  
 MISS OAK CREEK 325G R10546164 MISS OAK CREEK 500M  
 MISS OAK CREEK 440E OCF 800B  
 MISS OAK CREEK 534Z

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5	4	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
90%	EDED	65 lbs.	682 lbs.	42 cm.	12.535	4.550	

**Lot 2 OCF 531N**  
 R10601670 DOB: 9/29/24 PHN: 531N Brangus

TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 OCF 304J R10509518 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 MISS OAK CREEK 46G OCF 573D  
 MISS OAK CREEK 108C  
 OCF 501Z OCF 53S  
 MISS OAK CREEK 434E R10478498 MISS OAK CREEK 500M  
 MISS OAK CREEK 422A BRINKS LAMBERT 468X  
 MISS OAK CREEK 53N

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
4+	4	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	70 lbs.	795 lbs.	39.5 cm.	13.656	4.159	



*OCF Five Star System*

**Scores and Ratings:** We have evaluated each bull based on: **Disposition, Calving Ease, Udder** quality, **Maternal, Hair Coat, and Heterosis.**

Each bull is scored on a scale of 1 to 5, where 5 indicates excellent and 3 represents the average. **See more info page 4!**



**Lot 6** **OCF 770N**

R10601677 DOB: 1/20/25 PHN: 770N Brangus

OCF 544G OCF 915A80  
**OCF 316J** R10513473 MISS OAK CREEK 300G MISS OAK CREEK 575A  
 STONEWALL OF RRR 222W6  
 MISS OAK CREEK 581E  
 STONEWALL OF RRR 222W6 CSONKA OF BRINKS 30R4  
**MISS OAK CREEK 313G** R10505196 MS BRINKS LOMBARDI 222S20  
 OCF 501Z  
 MISS OAK CREEK 247P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	4	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	70 lbs.	514 lbs.	40 cm.	13.072	3.371	



**Lot 7** **OCF 433N**

R10606962 DOB: 11/2/24 PHN: 433N Brangus

TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
**OCF 304J** R10509518 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 573D  
 CRC LANDAU 263X2 MISS OAK CREEK 108C  
**MISS OAK CREEK 309D** R10471072 LTD OF BRINKS 415T28  
 MS HD BRIGHT SIDE 263L  
 MISS OAK CREEK 105B OCF 56X  
 MISS OAK CREEK 227S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	4	4	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	60 lbs.	550 lbs.	38 cm.	11.982	3.150	



**Lot 8** **OCF 411N**

R10601632 DOB: 10/28/24 PHN: 411N Brangus

TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
**OCF 304J** R10509518 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 573D  
 MISS OAK CREEK 108C  
 OCF 242N  
**MISS OAK CREEK 403B** R10360199 MISS OAK CREEK 527H  
 OCF POWERSURGE 34S  
 MISS OAK CREEK 561K

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
85%	EDED	65 lbs.	674 lbs.	38 cm.	12.972	4.054	



**Lot 10** **OCF 760N**

R10601675 DOB: 10/20/24 PHN: 760N Brangus

OCF 505G OCF 915A80  
**OCF 527K** R10522095 MISS OAK CREEK 421Z  
 MISS OAK CREEK 308X OCF 836U  
 MISS OAK 829N  
 OCF 302C CRC LANDAU 263X2  
**MISS OAK CREEK 362F** R10478365 MISS OAK CREEK 500A  
 OCF 805W  
 MISS OAK CREEK 851N

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	4	5+	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	EDED	67 lbs.	660 lbs.	44 cm.	13.013	4.026	



**Lot 11 OCF 408N**

R10600184 DOB: 9/27/24 PHN: 408N Brangus

**OCF 304J** R10509518 TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 573D  
 MISS OAK CREEK 108C  
 OCF 820A2 MR JLS SAVAGE 915W42  
**MISS OAK CREEK 409D** R10517859 MISS THOMAS 89J - 820T1  
 MISS OAK CREEK 240Y OCF 335S  
 MISS OAK CREEK 11T

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5-	5	5		5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	70 lbs.	685 lbs.	39 cm.	13.641	4.855



**Lot 12 OCF 513N**

R10605265 DOB: 9/2/24 PHN: 513N Brangus

**OCF 447J** R10492358 OCF 361F OCF 302C  
 MISS OAK CREEK 517D MISS OAK CREEK 407C  
 OCF 915A80  
 MISS OAK CREEK 402Z  
 OCF 810B OCF 805W  
**MISS OAK CREEK 464D** R10473681 MISS OAK CREEK 830W  
 MISS OAK CREEK 510X OCF POWERSURGE 34S  
 MISS OAK CREEK 416S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5	5+	5		5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	68 lbs.	600 lbs.	40 cm.	11.225	4.268

**Lot 13 OCF 414N**

R10600195 DOB: 7/17/24 PHN: 414N Brangus

**OCF 759L** R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
 MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
 TDR JOHN WAYNE 302R  
 MISS OAK CREEK 822B  
 OCF 438A BRINKS BS 607L11 415X3  
**MISS OAK CREEK 515C** R10419384 MISS OAK CREEK 190R  
 MISS OAK CREEK 74U OCF 507M  
 MISS OAK CREEK 211K

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5-	5	5		5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	68 lbs.	604 lbs.	40 cm.	13.058	3.577

**Lot 14 OCF 769N**

R10601676 DOB: 1/7/25 PHN: 769N Brangus

**OCF 527K** R10522095 OCF 505G OCF 915A80  
 MISS OAK CREEK 308X MISS OAK CREEK 421Z  
 OCF 836U  
 MISS OAK 829N  
 GR SWIFT 803C24 GR SWIFT 209W3  
**MISS OAK CREEK 466G** R10518326 MS BRINKS MCCREA 803X7  
 MISS OAK CREEK 543B OCF 576X  
 MISS OAK CREEK 515W

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	3	5		5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	70 lbs.	634 lbs.	43 cm.	13.690	5.127

**Lot 15 OCF 511N**

R10605454 DOB: 9/15/24 PHN: 511N Brangus

**OCF 332E** R10394630 OCF 915A80 SKYHAWKS PRESIDENTE  
 MISS OAK CREEK 403C MISS OAK CREEK 915X4  
 OCF 576X  
 MISS OAK CREEK 525Z  
 OCF 915A80 SKYHAWKS PRESIDENTE  
**MISS OAK CREEK 437D** R10463400 MISS OAK CREEK 412A MISS OAK CREEK 915X4  
 OCF 399T BN  
 MISS OAK CREEK 521M

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3+	5-	5	5		5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	72 lbs.	734 lbs.	40 cm.	14.504	4.899

**Lot 16 OCF 428N**

R10606966 DOB: 10/20/24 PHN: 428N Brangus

**OCF 759L** R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
 MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
 TDR JOHN WAYNE 302R  
 MISS OAK CREEK 822B  
 OCF 915A80 SKYHAWKS PRESIDENTE  
**MISS OAK CREEK 340E** R10518849 MISS OAK CREEK 915X4  
 MISS OAK CREEK 319C OCF 562A  
 MISS OAK CREEK 549A

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5	5	5		5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	65 lbs.	545 lbs.	42 cm.	12.276	4.379

**Lot 17 OCF 425N**

R10600186 DOB: 10/15/24 PHN: 425N Brangus

**OCF 467K** R10537106 IH MR. ISMAEL 820G3 IH BAR NONE 820Y8  
 MISS OAK CREEK 445B IH MS CHIEF 820X15  
 OCF 399T BN  
 MISS OAK CREEK 194R  
 OCF 915A80 SKYHAWKS PRESIDENTE  
**MISS OAK CREEK 526E** R10547731 MISS OAK CREEK 915X4  
 MISS OAK CREEK 443Z OCF 557U  
 MISS OAK CREEK 417T

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5-	5	5		5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	69 lbs.	615 lbs.	36 cm.	13.505	3.875

**Lot 18 OCF MCKELLAR JUSTIFIED 1012N**  
 AAA 21492982 DOB: 12/25/24 PHN: 1012N Angus

KG JUSTIFIED 3023 CONNEALY JUDGMENT  
 MCKELLAR JUSTIFIED 2244 AAA +\*20754610 KG MISS MAGIC 1443  
 MCKELLAR BREELA MAY 7178 S A V RENOWN 3439  
 OCF 302C K C F MISS PROTEGE W148  
 MCKELLAR BLACKBIRD 1303 AAA +\*20361864 G A R EARLY BIRD  
 MCKELLAR BLINDA MAY 7157 CHAIR ROCK AMBUSH 1018  
 S A V RENOWN 3439  
 BLINDA OF CONANGA 004

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5	5	5		4		n/a
Fert Test	Color Cd		BW	WW	SC	REA	IMF
90%	n/a		55 lbs.	534 lbs.	37 cm.	11.77	4.507

**Lot 19 OCF MCKELLAR JUSTIFIED 1021N**  
 AAA 21492986 DOB: 12/18/24 PHN: 1021N Angus

KG JUSTIFIED 3023 CONNEALY JUDGMENT  
 MCKELLAR JUSTIFIED 2244 AAA +\*20754610 KG MISS MAGIC 1443  
 MCKELLAR BREELA MAY 7178 S A V RENOWN 3439  
 R B TOUR OF DUTY 177 K C F MISS PROTEGE W148  
 WERNER WAR PARTY 2417  
 GMR BLACKBIRD 575 AAA +\*18509290 B A LADY 6807 305  
 V N A R BLACKBIRD 8044 MYTTY IN FOCUS  
 V N A R BLACKBIRD 6109

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5	5	5		4		n/a
Fert Test	Color Cd		BW	WW	SC	REA	IMF
90%	n/a		58 lbs.	458 lbs.	39 cm.	11.69	4.246

**Lot 20 OCF MCKELLAR RESILIENT 1014N**  
 AAA 21492985 DOB: 12/24/24 PHN: 1014N Angus

SITZ RESILIENT 10208 SITZ STELLAR 726D  
 MCKELLAR RESILIENT 2292 AAA +\*20755616 SITZ MISS BURGESS 1856  
 MCKELLAR BLACKBIRD 9138 S A V PRESIDENT 6847  
 MCKELLAR BLINDEA CLAIRE 4096  
 SWEL WHISTLING RAY 2195 K C F BENNETT ABSOLUTE  
 GMR ABSOLUTE 963 AAA \*19873522 ECHOLS BELLE 308  
 GMR BLACKBIRD 406 EXAR UPSHOT 0562B  
 V N A R BLACKBIRD 8044

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5	5	5		4+		n/a
Fert Test	Color Cd		BW	WW	SC	REA	IMF
90%	n/a		60 lbs.	584 lbs.	37.5 cm.	12.92	4.168

**Lot 22 OCF MCKELLAR RESILIENT 1029N**  
 AAA 21492984 DOB: 12/30/24 PHN: 1029N Angus

SITZ RESILIENT 10208 SITZ STELLAR 726D  
 MCKELLAR RESILIENT 2292 AAA +\*20755616 SITZ MISS BURGESS 1856  
 MCKELLAR BLACKBIRD 9138 S A V PRESIDENT 6847  
 MCKELLAR BLINDEA CLAIRE 4096  
 SWEL COACH TOM 1595 SITZ UPWARD 307R  
 GMR FOREVER 514 AAA 18095554 SALYER CANDY BURGESS C929  
 GMR FOREVER 217 GMR TRAVELER 219  
 DJ FOREVER R843

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	4	5	5		4		n/a
Fert Test	Color Cd		BW	WW	SC	REA	IMF
95%	n/a		55 lbs.	580 lbs.	33 cm.	13.14	3.984

**This is how it is done at OCF!**

- ✓ Cattle thrive in our hot humid pastures
- ✓ Cows calve yearly to remain in herd
- ✓ Calve unassisted and calves weaned at dam's side in pasture
- ✓ Superior carcass qualities and excel in fertility and milking
- ✓ Generations of Predictability ~ Since 1967



**Lot 21 OCF POWERCAT 1023N**  
 AAA pending DOB: 1/7/25 PHN: 1023N Angus

E & B WILDCAT 9402 GAR DISCOVERY 6737H  
 G A R POWERCAT AAA \*20665222 E&B LADY PLUS 643  
 DALTONS RITA 0206 GB FIREBALL 672  
 DALTONS RITA 8225  
 MILL BRAE BENCHMARK 9016 CONNEALY CONFIDENCE PLUS  
 MCKELLAR EXECUTA 2224 AAA +\*20707400 MILL BRAE FP JOANIE 3063  
 MCKELLAR EXECUTA MAY S A V SEEDSTOCK 4838  
 EXECUTA OF CONANGA 939

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5	5	5		4+		n/a
Fert Test	Color Cd		BW	WW	SC	REA	IMF
90%	n/a		45 lbs.	450 lbs.	36 cm.	11.33	5.943

**TRULY ECO-FRIENDLY**  
 We've officially hit 11 years  
 without using fly treatments  
 at Oak Creek Farms.  
 Proven sustainability,  
 one year at a time.

**Lot 25 OCF 221N**  
RR10600179 DOB: 11/17/24 PHN: 221N Red Brangus

OCF 8G GR AUGUSTUS 548D3  
**OCF 218K** RR10532387 MISS OAK CREEK 60B  
 MISS OAK CREEK 197Z OAK CREEK TARGET 2S  
 OCF 227B MISS OAK CREEK 78L  
**MISS OAK CREEK 102E** RR10451168 OCF 108Y  
 MISS OAK CREEK 100R MISS OAK CREEK 340W  
 OCF 11L  
 MISS OAK CREEK 30G

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
3	4	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	65 lbs.	552 lbs.	40 cm.	12.232	3.341	

**Lot 27 OCF 217N**  
RR10600177 DOB: 12/15/24 PHN: 217N Red Brangus

OCF 8G GR AUGUSTUS 548D3  
**OCF 218K** RR10532387 MISS OAK CREEK 60B  
 MISS OAK CREEK 197Z OAK CREEK TARGET 2S  
 OCF 112B MISS OAK CREEK 78L  
**MISS OAK CREEK FARMS 16H** RR10573100 DC WARRIOR 8S  
 MISS OAK CREEK 803X MISS OAK CREEK 29R  
 OCF 860R  
 MISS OAK CREEK 850N

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
4	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	65 lbs.	612 lbs.	38 cm.	12.824	3.833	

**Lot 28 OCF 52N**  
RR10606965 DOB: 12/27/24 PHN: 52N Red Brangus

IH MR. RANDY 504G5 WAT LEAD GUN 33P6  
**IH. MR. RED 222J** RR10470627 IH MS CHIEF 504X7  
 IH MS CHIEF 222A5 CHIEF OF INDIAN HILLS 23P68  
 OCF 227B IH MS LEAD GUN 222T  
**MISS OAK CREEK 53E** RR10477623 OCF 108Y  
 MISS OAK CREEK 445B MISS OAK CREEK 340W  
 OCF 399T BN  
 MISS OAK CREEK 194R

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	5-	5	5	5	4	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	65 lbs.	602 lbs.	38 cm.	11.127	3.788	

**Lot 30 OCF 226N**  
RR10600180 DOB: 1/3/25 PHN: 226N Red Brangus

OCF 588D OCF 915A80  
**OCF 167J** R10492351 MISS OAK CREEK 311C  
 MISS OAK CREEK 464A  
 OCF 125A  
 OCF 56X MISS OAK CREEK 274A  
**MISS OAK CREEK 46B** RR10360484 OAK CREEK TARGET 2S  
 MISS OAK CREEK 197Z MISS OAK CREEK 118M  
 OAK CREEK TARGET 2S  
 MISS OAK CREEK 78L

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
85%	ee	62 lbs.	596 lbs.	38 cm.	11.814	4.142	

**Lot 26 OCF 219N**  
RR10600178 DOB: 12/26/24 PHN: 219N Red Brangus

OCF 588D OCF 915A80  
**OCF 167J** R10492351 MISS OAK CREEK 464A  
 MISS OAK CREEK 311C OCF 125A  
 MISS OAK CREEK 274A  
 OCF 227B OCF 108Y  
**MISS OAK CREEK 103E** RR10471464 MISS OAK CREEK 340W  
 MISS OAK CREEK 48X OCF 53S  
 MISS OAK CREEK 70J

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
0%	ee	68 lbs.	660 lbs.	41 cm.	12.544	3.400	



**Lot 29 OCF 252N**  
RR10605453 DOB: 1/6/25 PHN: 252N Red Brangus

OCF 84E OCF 227B  
**OCF 232H** RR10480023 MISS OAK CREEK 195A  
 MISS OAK CREEK 199Z OCF 56X  
 MISS OAK CREEK 46W  
 OCF 272B OCF 108Y  
**MISS OAK CREEK 73F** RR10547666 MISS OAK CREEK 7S  
 MISS OAK CREEK 38C OCF 19X  
 MISS OAK CREEK 137Y

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis	
5	5-	4	5	5	4+	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	65 lbs.	578 lbs.	37 cm.	11.360	3.823	



## Lot 31 OCF 205N

RR10600176 DOB: 12/1/24 PHN: 205N Red Brangus

IH MR. RANDY 504G5 WAT LEAD GUN 33P6  
 IH MS CHIEF 504X7  
 IH MS CHIEF 222A5 CHIEF OF INDIAN HILLS 23P68  
 IH MS LEAD GUN 222T  
 OCF 107A OCF 408U  
 MISS OAK CREEK 34E RR10600114 MISS OAK CREEK 204S  
 MISS OAK CREEK 103W OCF TARGET 8N2  
 MISS OAK CREEK 511P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
4	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	68 lbs.	556 lbs.	35.5 cm.	11.545	4.085	



## Lot 32 OCF 2N

RR10606964 DOB: 12/14/24 PHN: 2N Red Brangus

OCF 438H R10511977 OCF 322E OCF 915A80  
 MISS OAK CREEK 303C  
 MISS OAK CREEK 517D OCF 915A80  
 OCF 110A OCF 19X  
 MISS OAK CREEK 21C RR10395101 MISS OAK CREEK 402Z  
 MISS OAK CREEK 5L OCF 19X  
 MISS OAK CREEK 310T  
 OAK CREEK'S JK 119D  
 MISS OAK CREEK 93F

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
4	5-	4	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	65 lbs.	667 lbs.	37 cm.	11.434	4.490	

## Lot 34 OCF 235N

RR10606961 DOB: 11/1/24 PHN: 235N Red Brangus

OCF 232H RR10480023 OCF 84E OCF 227B  
 MISS OAK CREEK 199Z MISS OAK CREEK 195A  
 OCF 56X  
 MISS OAK CREEK 46W  
 OCF 512A OCF 576X  
 MISS OAK CREEK 520W  
 MISS OAK CREEK 125U OCF TARGET 8N2  
 MISS OAK CREEK 107L

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	66 lbs.	600 lbs.	38 cm.	11.157	3.433	

## Lot 33 OCF 23N

RR10606960 DOB: 12/3/24 PHN: 23N Red Brangus

IH MR. RED 222J RR10470627 IH MR. RANDY 504G5 WAT LEAD GUN 33P6  
 IH MS CHIEF 504X7  
 IH MS CHIEF 222A5 CHIEF OF INDIAN HILLS 23P68  
 IH MS LEAD GUN 222T  
 OCF 56X OAK CREEK TARGET 2S  
 MISS OAK CREEK 126A RR10394293 MISS OAK CREEK 118M  
 MISS OAK CREEK 44S OCF TARGET 8N2  
 MISS OAK CREEK 166P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	5-	5	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
95%	ee	70 lbs.	554 lbs.	40 cm.	11.194	4.084	

## Lot 35 OCF 259N

RR10605242 DOB: 12/20/24 PHN: 259N Red Brangus

IH MR. RED 222J RR10470627 IH MR. RANDY 504G5 WAT LEAD GUN 33P6  
 IH MS CHIEF 504X7  
 IH MS CHIEF 222A5 CHIEF OF INDIAN HILLS 23P68  
 IH MS LEAD GUN 222T  
 OCF 227B OCF 108Y  
 MISS OAK CREEK 67H RR10600182 MISS OAK CREEK 340W  
 MISS OAK CREEK 101W OCF 478S  
 MISS OAK CREEK 214S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat		Heterosis
5	4	4	5	5	4	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF	
90%	ee	67 lbs.	566 lbs.	39 cm.	10.911	3.414	



## Lot 36 OCF 438N

R10600188 DOB: 11/5/24 PHN: 438N Brangus

OCF 759L R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
 MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
 OCF 576X TDR JOHN WAYNE 302R  
 MISS OAK CREEK 434C R10488661 MISS OAK CREEK 822B  
 MISS OAK CREEK 240Y OCF POWERSURGE 34S  
 OCF 335S  
 MISS OAK CREEK 11T

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	67 lbs.	525 lbs.	41.5 cm.	11.389	3.365



LOT 37

## Lot 37 OCF 446N

R10600190 DOB: 12/26/24 PHN: 446N Brangus

OCF 304J R10509518 TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 805W OCF 573D  
 MISS OAK CREEK 948D R10420852 MISS OAK CREEK 108C  
 MISS OAK CREEK 833X OCF 589M  
 MISS OAK CREEK 841P  
 OCF 860R  
 MISS OAK CREEK 610L

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5-	5	5	5	5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	70 lbs.	500 lbs.	38.5 cm.	11.928	5.149

## Lot 38 OCF 523N

R10601669 DOB: 10/7/24 PHN: 523N Brangus

OCF 304J R10509518 TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 438A OCF 573D  
 MISS OAK CREEK 503C R10421177 MISS OAK CREEK 108C  
 MISS OAK CREEK 33S BRINKS BS 607L11 415X3  
 MISS OAK CREEK 190R  
 OCF 570M  
 MISS OAK CREEK 500L

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	68 lbs.	672 lbs.	36 cm.	13.306	4.119

## Lot 39 OCF 429N

R10605243 DOB: 12/23/24 PHN: 429N Brangus

OCF 304J R10509518 TDR JOHN WAYNE 302R TJM JOHN WAYNE 44L  
 MISS OAK CREEK 46G MB MS MOTASH 302N7  
 OCF 332E OCF 573D  
 MISS OAK CREEK 180K RR10600187 MISS OAK CREEK 108C  
 MISS OAK CREEK 101E OCF 915A80  
 MISS OAK CREEK 403C  
 OCF 227B  
 MISS OAK CREEK 531Y

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5-	4
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	Ede	67 lbs.	515 lbs.	39 cm.	10.836	3.597



## Lot 40 OCF 463N

R10600192 DOB: 1/29/25 PHN: 463N Brangus

OCF 759L R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
 MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
 OCF 328F TDR JOHN WAYNE 302R  
 MISS OAK CREEK 407J R10521258 MISS OAK CREEK 822B  
 OCF 915A80  
 MISS OAK CREEK 405D  
 OAK CREEK TARGET 2S  
 MISS OAK CREEK 322S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	72 lbs.	435 lbs.	34 cm.	12.113	3.373

## OCF Five Star System

**Scores and Ratings:** We have evaluated each bull based on: **Disposition, Calving Ease, Udder** quality, **Maternal, Hair Coat, and Heterosis.**

Each bull is scored on a scale of 1 to 5, where 5 indicates excellent and 3 represents the average. **See more info page 4!**



**Lot 41 OCF 556N**

R10605456 DOB: 1/2/25 PHN: 556N Brangus

OCF 915A80 SKYHAWKS PRESIDENTE  
 MISS JLS ROSE 915X4  
**OCF 332E** R10394630 MISS OAK CREEK 403C OCF 576X  
 MISS OAK CREEK 525Z  
 OCF 348F OCF 915A80  
**MISS OAK CREEK 3J** R10547774 MISS OAK CREEK 305D  
 MISS OAK CREEK 35D OCF 272B  
 MISS OAK CREEK 51X

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	69 lbs.	506 lbs.	37 cm.	10.833	3.866



**Lot 42 OCF 579N**

R10605267 DOB: 1/12/25 PHN: 579N Brangus

OCF 361F OCF 302C  
**OCF 447J** R10492358 MISS OAK CREEK 407C  
 MISS OAK CREEK 517D OCF 915A80  
 MISS OAK CREEK 402Z  
 OCF 915A80 SKYHAWKS PRESIDENTE  
**MISS OAK CREEK 551D** R10419389 MISS JLS ROSE 915X4  
 MISS OAK CREEK 316S OCF 507M  
 MISS OAK CREEK 201P

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5-	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	67 lbs.	454 lbs.	35.5 cm.	11.180	4.531

**Lot 43 OCF 406N**

R10600183 DOB: 10/25/24 PHN: 406N Brangus

IH MR. ISMAEL 820G3 IH BAR NONE 820Y8  
**OCF 467K** R10537106 MISS OAK CREEK 445B IH MS CHIEF 820X15  
 OCF 399T BN  
 MISS OAK CREEK 194R  
 OCF 573D OCF 915A80  
**MISS OAK CREEK 48G** R10498351 MISS OAK CREEK 4W  
 MISS OAK CREEK 130Z OAK CREEK TARGET 2S  
 MISS OAK CREEK 27S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5	4
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	Ede	66 lbs.	602 lbs.	37 cm.	12.750	5.073



**Lot 44 OCF 522N**

R10601668 DOB: 11/3/24 PHN: 522N Brangus

IH MR. ISMAEL 820G3 IH BAR NONE 820Y8  
**OCF 467K** R10537106 MISS OAK CREEK 445B IH MS CHIEF 820X15  
 OCF 399T BN  
 MISS OAK CREEK 194R  
 OCF 437A BRINKS BS 607L11 415X3  
**MISS OAK CREEK FARMS 567D** R10573091 MISS OAK CREEK 477N  
 MISS OAK CREEK 436Z OCF 557U  
 MISS OAK CREEK 528R

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
85%	EDED	68 lbs.	550 lbs.	35 cm.	11.480	4.495

**Lot 45 OCF 514N**

R10605455 DOB: 10/8/24 PHN: 514N Brangus

OCF 915A80 SKYHAWKS PRESIDENTE  
 MISS JLS ROSE 915X4  
**OCF 332E** R10394630 MISS OAK CREEK 403C OCF 576X  
 MISS OAK CREEK 525Z  
 OCF 805W OCF 589M  
**MISS OAK CREEK 904D** R10420802 MISS OAK CREEK 841P  
 MISS OAK CREEK 810W OCF 860R  
 MS O C F TRAVELER 832H

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5-	5	5	5	5	4
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDE	70 lbs.	525 lbs.	38 cm.	13.14	3.984



OCF 332E - Sire of Lots 15, 41, 45, 48

**Lot 46 OCF 440N**  
R10600189 DOB: 11/16/24 PHN: 440N Brangus

OCF 467K R10537106 IH MR. ISMAEL 820G3 IH BAR NONE 820Y8  
MISS OAK CREEK 445B IH MS CHIEF 820X15  
OCF 399T BN  
OCF 302C MISS OAK CREEK 194R  
MISS OAK CREEK 351F R10547735 CRC LANDAU 263X2  
MISS OAK CREEK 434C MISS OAK CREEK 500A  
OCF 576X  
MISS OAK CREEK 240Y

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	69 lbs.	510 lbs.	32.5 cm.	12.644	4.447

**Lot 48 OCF 527N**  
R10605244 DOB: 1/5/25 PHN: 527N Brangus

OCF 332E R10394630 OCF 915A80 SKYHAWKS PRESIDENTE  
MISS OAK CREEK 403C MISS JLS ROSE 915X4  
OCF 576X  
MISS OAK CREEK 525Z  
BRINKS BRIGHT SIDE 607L11 BRIGHT SIDE OF BRINKS 789G5  
MISS OAK CREEK 309C R10420798 MISS BRINKS BIG EASY 607H10  
OCF 56X  
MISS OAK CREEK 537A MISS OAK CREEK 322S

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	70 lbs.	580 lbs.	41 cm.	13.085	4.183

**Lot 49 OCF 402N**  
R10601631 DOB: 10/18/24 PHN: 402N Brangus

OCF 467K R10537106 IH MR. ISMAEL 820G3 IH BAR NONE 820Y8  
MISS OAK CREEK 445B IH MS CHIEF 820X15  
OCF 399T BN  
OCF 820A2 MISS OAK CREEK 194R  
MISS OAK CREEK 442D R10419368 MR JLS SAVAGE 915W42  
MISS THOMAS 89J - 820T1  
OCF 11L  
MISS OAK CREEK 53N MISS OAK CREEK 115L

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
5	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	69 lbs.	604 lbs.	40 cm.	12.288	4.140

**Lot 51 OCF 417N**  
R10600185 DOB: 11/2/24 PHN: 417N Brangus

OCF 759L R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
TDR JOHN WAYNE 302R  
MISS OAK CREEK 822B  
OCF 337C OCF 449A  
MISS OAK CREEK FARMS 569E R10573086 MISS OAK CREEK 473A  
OCF 56X  
MISS OAK CREEK 573A1 MISS OAK CREEK 560U

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5-	5	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	69 lbs.	620 lbs.	41 cm.	11.554	3.497

**Lot 47 OCF 750N**  
R10605245 DOB: 12/3/24 PHN: 750N Brangus

OCF 316J R10513473 OCF 544G OCF 915A80  
MISS OAK CREEK 300G MISS OAK CREEK 575A  
STONEWALL OF RRR 222W6  
OCF 332E MISS OAK CREEK 581E  
OCF 915A80  
MISS OAK CREEK 591K R10601671 MISS OAK CREEK 403C  
OCF 915A80  
MISS OAK CREEK 576D MISS OAK CREEK 429A

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	4	4	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
90%	EDED	65 lbs.	680 lbs.	37 cm.	12.193	4.039



**Lot 50 OCF 502N**  
R10600193 DOB: 1/15/25 PHN: 502N Brangus

OCF 759L R10546612 M-B G508-A746 OF KH BRINKS DMR CORONADO 415A27  
MISS OAK CREEK 747F M-B MS CSS KH BRINKS E066-A746  
TDR JOHN WAYNE 302R  
MISS OAK CREEK 822B  
OCF 425G TDR JOHN WAYNE 302R  
MISS OAK CREEK 575J R10521818 MISS OAK CREEK 406Z  
OCF 915A80  
MISS OAK CREEK 532E MISS OAK CREEK 135Z

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
4	5-	4	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	67 lbs.	670 lbs.	40.5 cm.	11.995	4.483

**Lot 52 OCF 518N**  
R10601667 DOB: 10/8/24 PHN: 518N Brangus

OCF 447J R10492358 OCF 361F OCF 302C  
MISS OAK CREEK 517D MISS OAK CREEK 407C  
OCF 915A80  
OCF 805W MISS OAK CREEK 402Z  
OCF 589M  
MISS OAK CREEK 944D R10546040 MISS OAK CREEK 841P  
OCF 860R  
MISS OAK CREEK 856X MISS OAK CREEK 806K

Disposition	Calving Ease	Udder	Maternal Traits		Hair Coat	Heterosis
3	5-	3	5	5	5	5
Fert Test	Color Cd	BW	WW	SC	REA	IMF
95%	EDED	70 lbs.	565 lbs.	41 cm.	11.853	3.833

# TERMS AND CONDITIONS

---

Except for those stated in the below terms and conditions, there are no warranties, either expressed or implied, as to the merchantability or fitness for a particular purpose with respect to the cattle being sold at this auction. The warranties and guarantees set forth in the "Terms and Conditions" are in lieu of all other warranties, either expressed or implied, and the remedies provided therein shall be the sole and exclusive remedy of the buyer, or any party through buyer, for any breach of warranty or guarantee therein provided, and all other obligations or liabilities.

**1. BIDDING:** Each animal will be sold to the highest bidder without reserve. The auctioneer in charge will settle any disputes as to bids, and his decision shall be final.

**2. TERMS:** All terms are cash or check. Settlement must be made to the clerk at the conclusion of the auction before any cattle will be released from sale the sale premises.

**3. PURCHASER'S RISK:** Each animal becomes the risk of the purchaser as soon as sold, but will not be delivered until settlement has been made.

**4. HEALTH:** All animals where possession is sold are eligible for interstate shipment except as otherwise noted. All bulls have passed a fertility test. A health certificate will be furnished.

**5. ANNOUNCEMENTS:** Announcements from the auction box will take precedence over the printed matter in this catalog. All cattle will be sold by lot numbers as announced by the auctioneer.

**6. BREEDING GUARANTEE:** **A.** All animals are guaranteed to be breeders with the exception of (1) injury or disease occurring after sale; (2) negligence or willful misconduct on the part of the purchaser. Bulls losing more than 20% of their body weight will be excluded from the guarantee.

**B.** Any female is considered a breeder if she is pregnant at the time of the sale and/or she has a calf at side.

**C.** Safe in calf females have been examined by a competent veterinarian and are so guaranteed. **D.** Served females are believed to be in calf but are not so guaranteed.

**E.** Pasture-bred females have been exposed but are not guaranteed to be in calf. **F.** Open females have not been served and are so guaranteed.

## **7. OPTIONS AND PRIVILEGES OF RETURN OR ADJUSTMENT:**

**A.** All claims for adjustment or refund must be made in writing within six (6) months of the sale date.

**B.** Any animal that has not proven itself a breeder within the time limits specified above, if in healthy condition, may be returned to seller at buyer's expense. The seller reserves the right and privilege of trying for a period of six (6) months to prove the animal a breeder. If proven a breeder, the animal will be returned at buyer's expense. Should the animal fail to breed, the buyer, at his option, may either demand return of the purchase price or replacement of the animal with another of equal value. **C.** Any animal returned must have a veterinarian's certificate that it is healthy and free of Bangs and Tuberculosis.

**9. RIGHTS AND OBLIGATIONS:** **1.** The above terms and conditions of sale shall constitute a contract between the buyer and seller of each animal and shall be equally binding upon both. **2.** Animals resold following purchase in this sale shall constitute a separate transaction, and the rights and obligations of the two parties connected thereto are not covered by the terms and conditions of this sale. **3.** All persons who attend the sale do so at their own risk and the owners nor any person connected with the management of the sale or sale facility assume any liability, legal or otherwise, for any accidents which may occur.



*Thank you to our Sponsors!*




## TARGETED NUTRITION PROGRAMS FOR SERIOUS RANCHERS

**CUSTOM BLENDED FEED PROGRAMS** with a local staff as passionate about serving our customers as you are about your operation. **YOU DESERVE THE SERVICE AND RELATIONSHIP** of a local company with the resources of a large one.

With over 15 locations, our nutritionists, experienced sales staff and committed employees are focused on delivering one thing... **BETTER FEED, BETTER RESULTS.**

☎ 800.777.1562    ✉ [INFO@LNC-ONLINE.COM](mailto:INFO@LNC-ONLINE.COM)

[LNC-ONLINE.COM](http://LNC-ONLINE.COM)



**Linseisen's Feed & Supply**

**Bellville, Tx**

**(979)-865-3602**



# UNDERSTANDING COW PRODUCTION AND FRAME SIZE

## *Importance of Efficiency and Benefits of Moderate Framed Cattle*



**COW-CALF PRODUCTION IS BASICALLY A MANUFACTURING PROCESS**, turning grass into high-quality, edible protein for which there is a substantial and critical demand. Just like a 100-watt light bulb uses more energy than a 60-watt bulb, large cows require greater energy input than moderate-framed cows.

Since larger cows have a higher maintenance energy requirement than moderate framed cows and because they operate in a grazing environment for much of the year, they satisfy that higher energy requirement through higher dry matter intake. The larger cows simply consume more forage and have higher associated feed costs. An accurate way to evaluate individual cow performance efficiency is the weaning weight of her calf relative to her mature weight. The rancher's goal might be a calf's weaning weight of 50% of the cow's weight and that could be a benchmark for culling a cow.

There is no question that the annual variable costs for a large cow are higher than for a moderate-framed cow. It is estimated that the annual dry matter intake increases by approximately 550 pounds and supplement costs increase by \$15 - \$20 for every 100 pounds of increase in body weight. The question becomes, can the larger cow wean a sufficiently heavier calf to offset the increased costs?

High on the list of priorities is producing more efficient cattle by using the right kind of bulls to produce more moderate-framed cattle. Oak Creek Farms True Brangus and Red Brangus cattle are developed on forages, plus Brangus is a breed known for good maternal traits that produce cattle with excellent replacement heifers."

Forages also aid in fertility, increasing a bull's productivity by one to three breeding seasons and enhancing the bull's libido resulting in a bull that is not overly conditioned and is in excellent breeding condition

Cattle able to thrive, be cost-efficient and grade well, plus pounds of beef weaned, is what the commercial cattleman wants.



# DNA PROFILING AT OAK CREEK FARMS

## *Technology Used for Selecting Beef Genetics*

**JOHN AND CAROLYN KOPYCINSKI BELIEVE THAT DNA PROFILING CAN HELP THEM EFFECTIVELY IN SELECTION DECISIONS.** "I cull up to 25% of my cow herd each year," Kopycinski says. "The top 75% stay." He keeps all his top females for breeding and to produce predictable, easy-fleshing, fertile bulls that will be an asset to bull customers. He markets his forage-developed bulls in annual production sales.

Kopycinski adds that the DNA test for hair coat color helps him make mating decisions in a herd where he maintains black Brangus and Red Brangus. Now he can know, for example, if a black-coated animal is homozygous black and therefore will transmit only the black gene to his progeny.

Kopycinski says he is pleased so far with the similarity he has seen between the genetic DNA profiling he has done and the phenotypic expression of the animals he's witnessed in the pastures. DNA Profiling test which measures carcass traits measuring fat thickness, yield grade, ribeye area and hot carcass weight. "I'm looking for cows that will be good keepers."

Above all, Kopycinski is using genetic marker data in perspective. It cannot replace the work of the breeder, the eye for balance and function he says. However, it is an invaluable tool that adds to the breeder's base of knowledge about how his animals will perform.

Kopycinski thinks overemphasis on any technology can lead a breeder to wrong conclusions. For example, he says experience tells him selecting young bulls with too much reliance on ultrasound readings can lead to slower-maturing animals that reach sexual maturity at a later age.

That earlier-maturing bull - maybe a bull with higher libido - is already in full rut, looking over the fence or down the road at those females," Kopycinski says. "The bull is busy thinking about breeding instead of eating and he may put on less weight and less muscle, but in time catches up with the later-maturing bulls.

Kopycinski now has almost 60 years of experience breeding cattle, but he says you never stop learning. "I always keep in mind what an old cattle breeder told me years ago that genetics is a science that can make a fool out of the smartest man."





## **BEARD NAVASOTA VETERINARY HOSPITAL**

Paul Schmitt DVM at (936) -825-3877

8176 Highway 90S

Navasota, TX 77868

### **HEALTH PROTOCOL**

#### **BULLS**

##### **■ Vaccines**

- Virashield 6 VL5 - 5cc SQ
- Ultrachoice - 8way clostridial - 2cc SQ

##### **■ Dewormer**

- Pour on - Cydectin/ Generic Ivermectin
- Injectable - LongRang/ Valcor/ Cydectin Injectable

##### **■ Additional Options**

- +/-Multimin 90

### **OTHER MANAGEMENT RECOMMENDATIONS**

##### **■ Breeding Season**

- Recommend palpation of cows 30 days after the bull is pulled. Due to the fact the bull runs from Dec-May, recommend palpation/ U/S at April 1 to split the group into 2 breeding windows and improve the cow-to-bull ratio without buying more bulls. Cows confirmed bred early can be sorted off to allow for appropriate forage management.

##### **■ Heifer Management**

- Heifers can be given lulatory 10 days prior to bull turnout to make them synchronize their cycles to improve early conception. Heifers should be 75% of their mature body weight prior to breeding for optimal; conception. Early pregnancy detection through ultrasound can also be used here. Heifers who breed early are the most profitable and can be retained. Those heifers who do not conceive in the breeding window can be sold as open-replacement heifers.

##### **■ Bull Management**

- Bulls should be semen tested and trich tested 45-60 days prior to turn out to allow time for replacements to be acquired. Subfertile bulls who do not pass a BSE can be retested prior to turnout to see if they improve at spermatogenesis which takes 60 days.

##### **■ Calf Management**

- Calf management can be adjusted based on health data from the feed yard and problems that occur in neonatal calves. This will be an ongoing process based on the weather and data from the end user.



## HOW IT WORKS

Go to [www.LiveAuctions.tv](http://www.LiveAuctions.tv). Please note that you do NOT need an account to watch the auction, but you do need to register an account and request a buyer number if you wish to bid. If you do NOT have an account, click “Register” in the top right corner of the homepage and create a new account. Once you have completed the form on this registration page and hit the “Register” button, you will receive an email with a place to click on to verify you have entered a valid email address. Once you have completed this registration process, find the auction you are interested in on the homepage and click on it (sales are listed in chronological order). You should then see a box that says Login. Now that you have an account with LiveAuctions, just type in your email address and password. You will now see a hyperlink at the top that says “Request a Buyer Number”. The first time you request your first buyer number on LiveAuctions, it will send you a text message with a verification code in it. Type the code from the text message into the required field, and you will then see your name, along with a buyer number, listed at the top of the webpage where the live video is displayed. You will be able to bid. You will only have to complete this two-step verification process one time. After that, you will be able to immediately request a buyer number on any auction without verification through an email or text message again.

LiveAuctions no longer requires an app. You can view/register/bid with any smartphone; just type LiveAuctions.tv into your web browser. The registration process is the same as it is on a desktop computer, but the website is built to be mobile-friendly. Click on the three lines in the top right corner to access the menu.

**Bidders who are successful in making purchases will be contacted by the ranch after the auction to settle payment and discover your shipping plans.**

**If you need help registering to bid or to view the auction, please call Technical Support at (682) 816-4900 or e-mail us at [TechSupport@LiveAuctions.tv](mailto:TechSupport@LiveAuctions.tv).**



# Through the Years...



# OAK CREEK FARMS

## Forage Developed Spring Brangus Bull Sale

K

K



**Oak Creek Farms  
Home of Grass-Fed Beef!**

